

## MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES BUREAU OF ENVIRONMENTAL HEALTH SERVICES FOOD ESTABLISHMENT INSPECTION REPORT

TIME IN 11:50	TIME OUT
PAGE / of	+

WITH AN	INITUC	E INSPE E LIMITS	CTION, OR SUCH SHORTER PE S FOR CORRECTIONS SPECIFIE	RIOD OF T D IN THIS	NOTICE	MAY BI	E SPEC	IFIED	IN WE	RITING BY	THE REGUI	CILITIES WHICH MUST BE CORRE LATORY AUTHORITY. FAILURE TO OPERATIONS.	CTED B COMPI	Y THE
ESTAB	BLISH	MENTI	NAME:	OWNE	ER:	L						PERSON IN CHARGE:	D	
ADDRE	ESS:	0	MULTH WALDWY		H					-		JAMES FOWLE	1	
CITY/Z		- 20 - 10,00			F			FAN				COUNTY: STODDARD	1	
ESTABLIS	0		ER 63841	PHON 62	4-7	499		FAX	·.			P.H. PRIORITY: H	М 🗆	L .
☐ BA	STAU		C. STORE CATERE SCHOOL SENIOR	CENTER	reconst	DELI UMMER	F.P.		GROC	CERY STOR	RE	INSTITUTION MOBILE VIEWP.FOOD	'ENDOR	RS
☐ Pre			Routine  Follow-up	☐ Com	Contract the Section	□ Ot	ther							
FROZE □Appro License	oved [	Disappr	roved Not Applicable	SEWAG PUB PRIV	LIC /ATE				COMM	UPPLY MUNITY		N-COMMUNITY PRIVA	TE ts	
										NTIONS				
Risk fac	ctors a	re food p	preparation practices and employed eaks. Public health intervention	e behaviors	most c	ommonl	y report	ed to t	he Ce	nters for Dis	sease Contro	ol and Prevention as contributing fact	ors in	
Compliano	ce		Demonstration of Ki	nowledge		CO			mplian			Potentially Hazardous Foods	CO	SF
IN OUT	Γ		Person in charge present, demo and performs duties	nstrates kn	owledge	9,		dM,	OUT	N/O N/A	Proper co	oking, time and temperature		
			Employee He	alth						N/O N/A	Proper re	heating procedures for hot holding		
OUT OUT			Management awareness; policy							N/O N/A	Proper co	oling time and temperatures		
			Proper use of reporting, restricti  Good Hygienic Pr		usion				OUT	N/O N/A	Proper co	t holding temperatures Id holding temperatures		
TN OUT			Proper eating, tasting, drinking of	r tobacco u	se			ON	OUT	N/O N/A	Proper da	te marking and disposition		
IN OUT	N/O		No discharge from eyes, nose a	nd mouth				IN	OUT	N/O(N/A)	Time as a records)	public health control (procedures /		
			Preventing Contaminati		S						BANK DEB	Consumer Advisory		
IN) OUT	N/O		Hands clean and properly wash	ed				an	OUT	N/A	Consumer	r advisory provided for raw or		
(IN)OUT	N/O		No bare hand contact with ready									lighly Susceptible Populations		
IN OUT			approved alternate method prop Adequate handwashing facilities			-	-	IN	OUT	N/O N/A	Pasteurize	ed foods used, prohibited foods not		
			accessible								offered			
(N) OUT			Approved Sou Food obtained from approved so					CIND	OUT	N/A	Eood addi	Chemical tives: approved and properly used		
N OUT		N/A	Food received at proper tempera						OUT	INA	Toxic subs	stances properly identified, stored and		
IN OUT			Food in good condition, safe and	Lunadultora	tod						used			
IN OUT		N/A)	Required records available: shell destruction			9		IN OUT N/A Complia			Compliano	rmance with Approved Procedures ce with approved Specialized Process		
0			Protection from Cont	amination							and HACC			
TUO (M)		N/A	Food separated and protected					The	letter	to the left of	f each item i	indicates that item's status at the time	of the	
IN OUT		N/A	Food-contact surfaces cleaned &	sanitized					IN = ir	complianc		OUT = not in compliance		
IN OUT	(N/O	)	Proper disposition of returned, p	eviously se	rved,					ot applicable orrected On		N/O = not observed R = Repeat Item		
			reconditioned, and unsafe food	~	-	OOD D	CTALL	100000000000000000000000000000000000000						
		(	Good Retail Practices are prevent	ative measu		control th				hogens che	emicals and	physical objects into foods		
IN (	OUT		Safe Food and Water			cos	R	IN	OUT			per Use of Utensils	cos	R
			rized eggs used where required and ice from approved source					/			tensils: prop			
		vv ater a	and ice from approved source					/		handled		and linens: properly stored, dried,		
		A al a a	Food Temperature Conti					1				rvice articles: properly stored, used		
/			ate equipment for temperature conved thawing methods used	itrol			-			Gloves u	I Itansils	y Equipment and Vending	100000000000000000000000000000000000000	
	K		ometers provided and accurate					/			d nonfood-c	ontact surfaces cleanable, properly		
- '			Food Identification							designed	d, constructe	ed, and used es: installed, maintained, used; test		
								/		strips use	ed			-
		Food p	roperly labeled; original container Prevention of Food Contami	nation	V			-		Nonfood	-contact sur			
/		Insects	, rodents, and animals not presen					-		Hot and	cold water a	Physical Facilities available; adequate pressure		
1	- 1		nination prevented during food pre		orage			-				proper backflow devices		
1		Person	al cleanliness: clean outer clothing ails and jewelry	g, hair restra	aint,			1		Sewage	and wastew	rater properly disposed		
/		Wiping	cloths: properly used and stored						×	Toilet fac	cilities: prope	erly constructed, supplied, cleaned		
		Fruits a	and vegetables washed before use					-		Garbage	refuse prop	erly disposed; facilities maintained		
Person i	in Cha	rge /Tit	de:							Physical	Dat	talled, maintained, and clean		
Inspecto	or:	<u></u>	A. BKANDEL		Teler	hone N	lo.		T	EPHS No	). Fol	low-up:		0
		An	A. DKANDEL		56	8-4	59	3		1582	Fol	low-up Date:		J
MO 580-1814	7 (11-14)			DISTRIBUTIO	N. WHITE	- OWNER	'S COPY			CANARY - FIL	E COPY			E 0 0 7



## MISSOURI DEPARTMENT HEALTH AND SENIOR SERVICES BUREAU OF ENVIRONMENTAL HEALTH SERVICES FOOD ESTABLISHMENT INSPECTION REPORT



TIME IN TIME OUT PAGE of

ESTABLISHMEN		ADDRESS		CITY	ZIP	11
	PIZZA COMPANY  DOD PRODUCT/LOCATION	4 NORTH		DEXIER	6380	0 1
		TEMP.	FOOD PRODUC	CT/ LOCATION	TEMI	Ρ.
REFR.6	18 TABLE	400				
100	ON BAR #	450				
70 CH D	4	70				
			-			
Code			ORITY ITEMS		Correct by	Initial
Reference	Priority items contribute directly to the elin or injury. These items MUST RECEIVE II	MMEDIATE ACTION W	ithin 72 hours or as stated.		(date)	
4-601.	11 A - ALL FOODCON					JF.
	HAP SKALL	CE, FIECH	CRUST PRESS, LG MI	XERECY		1
4-601	11A - SODA FOUNTA	N NOSZKI	S HAVE FOOD/NOLD	Buildup		
			TIZE AT LEAST WE			
11 / 21	11 4 - 1- 1- 1- 11 11	1 007/02	1 -1 9 1 1 1 1			
4-601,	11A - VENT HOOD HA	5 DIRIGE	DOWN AS NEEDE	N TO DEET FKILL		
	C. C. P.	THOTOTE	DOGSIO FONZEPE	DIO REVENT		
3-501.	16 A2 - SALADON S	848 CAD A	WAS 450 - MLS	TBE 41° NIBELDW		
			SA IDNTEDL	, - /,		
	8- 5066k 576	DSOLTW	/ICE TO MAKE CO	LDIER		
					PROPERTY AND ADDRESS OF THE PARTY AND ADDRESS	
-						
			And the second s	And the second s		
				And the second s		
and the same of th						
Code			DRE ITEMS		Correct by	Initial
Code Reference	Core items relate to general sanitation, op standard operating procedures (SSOPs).	erational controls, facili	ties or structures, equipment design, ge	eneral maintenance or sanitation ction or as stated.	Correct by (date)	Initial
	Core items relate to general sanitation, op standard operating procedures (SSOPs).	erational controls, facili These items are to be	ties or structures, equipment design, ge e corrected by the next regular inspe	eneral maintenance or sanitation ction or as stated.	(date)	Initial  JF
Reference	standard operating procedures (SSOPs).  (12 - COLD PREPTAB	erational controls, facili These items are to be	ties or structures, equipment design, grecorrected by the next regular inspe	ction or as stated.	(date)	
Reference	standard operating procedures (SSOPS).  112 - COLD PKEPTAB  114 - GLDEY FIZZA FAM	erational controls, facili These items are to be LE MISSING S LSHELUK	ties or structures, equipment design, go corrected by the next regular inspe 6 THERMONETER 5 NOT IN USE, NEE	ction or as stated.	(date)	
Reference	standard operating procedures (SSOPS).  112 - COLD PKEPTAB  114 - GLDEY FIZZA FAM	erational controls, facili These items are to be LE MISSING S LSHELUK	ties or structures, equipment design, grecorrected by the next regular inspe	ction or as stated.	(date)	
Reference A1 - 204, 6-501.	standard operating procedures (SSOPS).  112 - COLD PKEPTAB  114 - GLDEFFIZZAFA.  1F NOT	erational controls, facility These items are to be CL MISSING SS USHECULA N USE RE	ties or structures, equipment design, go e corrected by the next regular inspe 6 THERMONETER 5 HOT INUSE, NEE MOVE CLUTTER	DCCEANED	(date)	
Reference A1 - 204, 6-501.	standard operating procedures (SSOPS).  112 - COLD PKEPTAB  114 - GLDEFFIZZAFA.  1F NOT	erational controls, facility These items are to be CL MISSING SS USHECULA N USE RE	ties or structures, equipment design, go e corrected by the next regular inspe 6 THERMONETER 5 HOT INUSE, NEE MOVE CLUTTER	DCCEANED	(date)	
Reference A1 - 204, 6-501.	Standard operating procedures (SSOPS).  112 - COLD PKEPTAB  114 - GLDEFFIZZA FA-  1F HOT.  14 BATHXON UEN  WORK	erational controls, facility These items are to be CL MISSING SS 45HECULA N USE RE TS DUST CL	ties or structures, equipment design, go e corrected by the next regular inspe 6 THERMONETER 5 HOT INUSE, NEE MOUR CLUTTER COVERED, WOMEN LAN/REFAIR	DCCEANED	(date)	
Reference A1 - 204, 6-501.	Standard operating procedures (SSOPS)  112 - COLD PKEPTAB  114 - GLDEX FIZZA FALL  14 BATHXON UEN  WORK  1(1 - DOOK SEAL O	erational controls, facility These items are to be CL MISSING S LSHELLE N USE RE TS DUST CLOST C	ties or structures, equipment design, go corrected by the next regular inspe 6 THERMONETER 5 NOT INUSE, NEE MOUR CLUTTER EDUCKED, WOMEN LAN/REFAIR IN REFRIGERATOR	DCCEANED	(date)	
Reference Al - 204, 6-501.	Standard operating procedures (SSOPS)  112 - COLD PKEPTAB  114 - GLDEX FIZZA FALL  14 BATHXON UEN  WORK  1(1 - DOOK SEAL O	erational controls, facility These items are to be CL MISSING SS 45HECULA N USE RE TS DUST CL	ties or structures, equipment design, go corrected by the next regular inspe 6 THERMONETER 5 NOT INUSE, NEE MOUR CLUTTER EDUCKED, WOMEN LAN/REFAIR IN REFRIGERATOR	DCCEANED	(date)	
Reference Al - 204, 6-501.	Standard operating procedures (SSOPS)  112 - COLD PKEPTAB  114 - GLDEX FIZZA FALL  14 BATHXON UEN  WORK  1(1 - DOOK SEAL O	erational controls, facility These items are to be CL MISSING S LSHELLE N USE RE TS DUST CLOST C	ties or structures, equipment design, go corrected by the next regular inspe 6 THERMONETER 5 NOT INUSE, NEE MOUR CLUTTER EDUCKED, WOMEN LAN/REFAIR IN REFRIGERATOR	DCCEANED	(date)	
Reference Al - 204, 6-501.	Standard operating procedures (SSOPS)  112 - COLD PKEPTAB  114 - GLDEX FIZZA FALL  14 BATHXON UEN  WORK  1(1 - DOOK SEAL O	erational controls, facility These items are to be CL MISSING S LSHELLE N USE RE TS DUST CLOST C	ties or structures, equipment design, go corrected by the next regular inspe 6 THERMONETER 5 NOT INUSE, NEE MOUR CLUTTER EDUCKED, WOMEN LAN/REFAIR IN REFRIGERATOR	DCCEANED	(date)	
Reference Al - 204, 6-501.	Standard operating procedures (SSOPS)  112 - COLD PKEPTAB  114 - GLDEX FIZZA FALL  14 BATHXON UEN  WORK  1(1 - DOOK SEAL O	erational controls, facility These items are to be CL MISSING S LSHELLE N USE RE TS DUST CLOST C	ties or structures, equipment design, go corrected by the next regular inspe 6 THERMONETER 5 NOT INUSE, NEE MOUR CLUTTER EDUCKED, WOMEN LAN/REFAIR IN REFRIGERATOR	DCCEANED	(date)	
Reference Al - 204, 6-501.	Standard operating procedures (SSOPS)  112 - COLD PKEPTAB  114 - GLDEX FIZZA FALL  14 BATHXON UEN  WORK  1(1 - DOOK SEAL O	erational controls, facility These items are to be CL MISSING S LSHELLE N USE RE TS DUST CLOST C	ties or structures, equipment design, go corrected by the next regular inspe 6 THERMONETER 5 NOT INUSE, NEE MOUR CLUTTER EDUCKED, WOMEN LAN/REFAIR IN REFRIGERATOR	DCCEANED	(date)	
Reference Al - 204, 6-501.	Standard operating procedures (SSOPS)  112 - COLD PKEPTAB  114 - GLDEX FIZZA FALL  14 BATHXON UEN  WORK  1(1 - DOOK SEAL O	erational controls, facility These items are to be CL MISSING S LSHELLE N USE RE TS DUST CLOST C	ties or structures, equipment design, go corrected by the next regular inspe 6 THERMONETER 5 NOT INUSE, NEE MOUR CLUTTER EDUCKED, WOMEN LAN/REFAIR IN REFRIGERATOR	DCCEANED	(date)	
Reference Al - 204, 6-501.	Standard operating procedures (SSOPS)  112 - COLD PKEPTAB  114 - GLDEX FIZZA FALL  14 BATHXON UEN  WORK  1(1 - DOOK SEAL O	erational controls, facility These items are to be CL MISSING S LSHELLE N USE RE TS DUST CLOST C	ties or structures, equipment design, go corrected by the next regular inspe 6 THERMONETER 5 NOT INUSE, NEE MOUR CLUTTER EDUCKED, WOMEN LAN/REFAIR IN REFRIGERATOR	DCCEANED	(date)	
Reference Al - 204, 6-501.	Standard operating procedures (SSOPS)  112 - COLD PKEPTAB  114 - GLDEX FIZZA FALL  14 BATHXON UEN  WORK  1(1 - DOOK SEAL O	erational controls, facility These items are to be CL MISSING SS 45HKCUKG N USE RE TS DUST CL LNG CL J WALK PLACE/CL	ties or structures, equipment design, go corrected by the next regular inspe 6 THERMONETER 5 NOT INUSE, NEE MOUR CLUTTER EDUCKED, WOMEN LAN/REFAIR IN REFRIGERATOR	DCCEANED	(date)	
Reference Al - 204, 6-501.	Standard operating procedures (SSOPS)  112 - COLD PKEPTAB  114 - GLDEX FIZZA FALL  14 BATHXON UEN  WORK  1(1 - DOOK SEAL O	erational controls, facility These items are to be CL MISSING SS 45HKCUKG N USE RE TS DUST CL LNG CL J WALK PLACE/CL	ties or structures, equipment design, go e corrected by the next regular inspe 6 THERMONETER 5 HOT INUSE, NEE MOUR CLUTTER COVERED, WOMEN EAN/EEFAIR IN REFRIGERATOR EAN	DCCEANED	(date)	
Reference A1-204, 6-501. 4-501,	Standard operating procedures (SSOPS)  (12 - COLD PKETTAB  (14 - OLDER FIZZA FAN  IF HOT  WORK  (14 BATHROW UEN  WORK  (14 BOOK SHALO  RE  arroe /Title:	erational controls, facility These items are to be CL MISSING SS 45HKCUKG N USE RE TS DUST CL LNG CL J WALK PLACE/CL	ties or structures, equipment design, go e corrected by the next regular inspe 6 THERMONETER 5 HOT INUSE, NEE MOUR CLUTTER COVERED, WOMEN EAN/EEFAIR IN REFRIGERATOR EAN	DCLEANED  SFOOM NOT  TORN/DIRTY	(date)	
Reference  A -204,  6-50 .  4-50 .  Person in Ch	Standard operating procedures (SSOPS).  112 - COLD PKETTAB  114 - OLDEY FIZZA FAMIF HOT.  14 BATHROW UEN  WORK  11 - DOOK SHALO  RE	erational controls, facility These items are to be  CL MISSING  S LSHELVE  N USE RE  TTS DUST CL  J WALK  PLACE/CL  EDUCATION I	ties or structures, equipment design, green corrected by the next regular inspection of the property of the next regular inspection of the next regular ins	DC(EANED  S FOOM NOT  TORN/DIRTY  Date: 10-6-17	(date)	
Reference  A -204,  6-50 .  4-50 .  Person in Ch	Standard operating procedures (SSOPS)  (12 - COLD PKETTAB  (14 - OLDER FIZZA FAN  IF HOT  WORK  (14 BATHROW UEN  WORK  (14 BOOK SHALO  RE  arroe /Title:	erational controls, facility These items are to be  CL MISSING  S LSHELLE  N USE RE  TS DUST CL  J WALK  PLACE / CL  Telepho	ties or structures, equipment design, green corrected by the next regular inspection of the property of the next regular inspection of the next regular ins	DCCEANED	(date)	