

MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES BUREAU OF ENVIRONMENTAL HEALTH SERVICES FOOD ESTABLISHMENT INSPECTION REPORT

TIME IN 9:00	TIME OUT
PAGE / o	12

NEXT ROUT	INE I	NSPE(TION THIS DAY, THE ITEMS NO CTION, OR SUCH SHORTER PE FOR CORRECTIONS SPECIFIE	RIOD OF TIME AS	S MAY BE	E SPEC	IFIED	IN WE	RITING BY	THE RE	GULATOR	Y ALITHO	MUST RITY. F	BE CORF	ECTED O CON	BY THE
ECTABLIC	INAL	ENIT N	IANAE.	OWNED:					1011 01 10	01(100	PE	RSON IN		RGE:		
ADDRESS	00	OFA	1.NG FINE	JACK	EK	ER66INS				COUNTY:						
ADDRESS	2	20	TO STATE HOY	51								OUNTY:				
CITY/ZIP:	OX	110	mo 63960	PHONE: 573-27	226.	217	FAX	(:			P.H	H. PRIOF	RITY:	□н₫	KW [] L
BAKEI	RY	TYPE	C. STORE CATERE	R	DELI SUMMER	F.P.		GROC FAVER	ERY STOR		☐ INSTIT			MOBILE	VENDO	ORS
PURPOSE Pre-op	ening	g	Routine Follow-up	☐ Complaint	□ Ot	her										
FROZEN [Approved License No.		isappro	oved Not Applicable	SEWAGE DIS PUBLIC PRIVATE	POSAL				JPPLY IUNITY		NON-CO			PRIV Resi		
				RISK F												
Risk factors	s are	food p	reparation practices and employe eaks. Public health interventions	e behaviors most	commonl	y report	ed to t	he Cer	nters for Dis	ease Co	ontrol and F	revention	as cont	ributing fa	ctors in	
Compliance	111000	Outbic	Demonstration of Kr		CO			mpliano		y.	Potenti	ally Hazar	dous Fo	ods	-	COS F
IN OUT			Person in charge present, demo	nstrates knowledg	e,		IN	OUT	N/O N/A	Prope	r cooking, t					
			and performs duties Employee Hea	ith			IN	OUT	N/O N/A	Proper	r reheating	procedur	es for he	ot holding	- 6	
IN OUT			Management awareness; policy				(IN)	OUT	N/O N/A	Proper	r cooling tir	ne and ter	nperatu			
IN OUT			Proper use of reporting, restriction Good Hygienic Pra					OUT	N/O N/A N/A		r hot holdin					
IN OUT N	0		Proper eating, tasting, drinking of						N/O N/A	Proper	r cold holdi r date mark	ing temper	ispositio	n		
OUT N/	0		No discharge from eyes, nose ar						N/O N/A	Time a	as a public	health cor	ntrol (pro	cedures /		7 1
	===		Preventing Contamination	on by Hands			-			record		nsumer A	dvisory			
IN OUT N/	0		Hands clean and properly washe				IN	OUT	(N/A)		mer adviso	ory provide		w or		
(IN) OUT N/	<u>'0</u>	-	No bare hand contact with ready	-to-eat foods or			-			underd	Cooked foo		Popula	tions		
The same of the sa	<u> </u>		approved alternate method proper	erly followed				Highly Susceptible Populations		uons						
(IN) OUT			Adequate handwashing facilities accessible	supplied &			IN	OUT	N/O N/A	Paster	urized food	s used, pro	ohibited	foods not		
			Approved Sour	ce						Ollered		Chemic	al		A SOL	
IN OUT			Food obtained from approved so					OUT	(N/A)	Food a	additives: a	pproved a	nd prop	erly used		-
IN OUT NA	O N	A	Food received at proper tempera	ture			(IN)	OUT		Toxic s	substances	properly i	identified	d, stored a	nd	
IN OUT		~	Food in good condition, safe and				IN OUT N				onformance	with App	roved Pr	ocedures		
IN OUT N/	O N/	A)	Required records available: shell destruction	stock tags, parasi	te				N/A)	Compliance with approved Specialized Process and HACCP plan			ss			
AND OUT			Protection from Conta	mination			The	letter	to the left of	f each ite	em indicate	s that item	n's statu	s at the tin	ne of the	
OUT OUT	N/.		Food separated and protected					ection.							ie or the	The state of
IN) OUT	N/	A	Food-contact surfaces cleaned &	sanitized			N	IN = in compliance N/A = not applicable OUT = not in compliance N/O = not observed								
IN OUT N	10		Proper disposition of returned, pr reconditioned, and unsafe food	eviously served,					orrected Or			= Repeat				
	9838		reconditioned, and unsale lood		GOOD R	ETAIL F	PRACT	ICES								
		(Good Retail Practices are prevent						hogens, ch	emicals,	and physic	cal objects	into foo	ds.		
IN OUT			Safe Food and Water		cos	R	IN	OUT			Proper Use		ils		COS	S R
			rized eggs used where required and ice from approved source				ATES				oroperly stonent and line		erly store	ed, dried		1 1 1 1 1 1
							1		handled							
		Adequa	Food Temperature Contrate equipment for temperature cor				NOTE:		Single-u Gloves u		e-service a	rticles: pro	perly sto	ored, used		
	1	Approvi	ed thawing methods used				-			Utens	sils, Equipn	nent and \	/ending			
	1	Thermo	meters provided and accurate				-			d nonfoc	od-contact :	surfaces c	leanable	e, properly		
			Food Identification					x	Warewa	shing fac	ructed, and cilities: insta		ntained,	used; test		
	F	ood pr	roperly labeled; original container					-	strips us Nonfood		surfaces o	lean		111	1 100	
			Prevention of Food Contamir								Physical	Facilities				7 27 -
			, rodents, and animals not presentination prevented during food pre				Action				ter available ed; proper b			ure		
	a	and disp	play				No.									
	fi	ingerna	al cleanliness: clean outer clothing	j, nair restraint,			1		-		stewater pr		2010/02/03/03			
10 m			cloths: properly used and stored nd vegetables washed before use				Salar				roperly con properly dis					
							ALERO .				installed,					
Person in C	Char	ge /Tit	le: K. K. Can	~							Date:	10 7	1201	7		
Inspector:		A	A. SPANLER	Tele	phone N	yo.	7		EPHS No		Follow-up			Yes	凰	No
MO 580-1814 (11-	-14)	Ot a	- VI. D SHAWEL	DISTRIBUTION: WHI	E - OWNER	J 7			CANARY - FIL	_	Follow-up	Date:	K	Kut		F0.07



MISSOURI DEPARTMENT HEALTH AND SENIOR SERVICES BUREAU OF ENVIRONMENTAL HEALTH SERVICES FOOD ESTABLISHMENT INSPECTION REPORT

TIME IN	TIME OUT
PAGE Zof	2

ESTABLISHMENT NAME	ADDRESS	1	CITY	ZIP		
PAXICO SKATINGEINE	_ 22070	STATEHUX 51	Puxicos	63960		
FOOD PRODUCT/LOCATION	TEMP.	FOOD PRODUCT/	TEMP.			
RERCEPATOR	59					
Code Reference Priority items contribute directly or injury. These items MUST R		ORITY ITEMS reduction to an acceptable level, hazards a rithin 72 hours or as stated.	ssociated with foodborne illness	Correct by (date)	Initial	
		HEAT BULB BURNI	DONT			
- PEF	LACL BULB, TE	STTO BE SURE P	1224 IN			
HOT	HOLD IS AT	OI ABOVE 1350				
3 S. I EIE	ZEEL ILIGHT	10. 121	W.C.N.			
		NOT DATE MAKE				
700	NATT CON IT	INECT FOR USE OF	POTOTAL			
	- I J	>				
				a		
	nitation, operational controls, facili	DRE ITEMS ties or structures, equipment design, gene		Correct by (date)	Initial	
Reference Core items relate to general sar	nitation, operational controls, facili				Initial	
Reference Core items relate to general sar standard operating procedures of the standard operating procedures	nitation, operational controls, facili (SSOPs). These items are to be	ties or structures, equipment design, gene e corrected by the next regular inspection	n or as stated.		Initial	
Reference Core items relate to general sar standard operating procedures of the standard operating procedures operating	nitation, operational controls, facili (SSOPs). These items are to be 3AY ろいん ー いとと	ties or structures, equipment design, gene ecorrected by the next regular inspection.	on or as stated.		Initial	
Reference Core items relate to general sar standard operating procedures of the standard operating procedures operating	nitation, operational controls, facili (SSOPs). These items are to be 3AY ろいん ー いとと	ties or structures, equipment design, gene ecorrected by the next regular inspection.	on or as stated.		Initial	
Reference Core items relate to general sar standard operating procedures of the standard operating procedures operating	illation, operational controls, facilities (SSOPs). These items are to be SAY SINK - NEE ITEM STED USING	ties or structures, equipment design, gene e corrected by the next regular inspection	on or as stated.		Initial	
Reference Core items relate to general sar standard operating procedures of the standard operating procedures operating	illation, operational controls, facilities (SSOPs). These items are to be SAY SINK - NEE ITEM STED USING	ties or structures, equipment design, gene ecorrected by the next regular inspection.	on or as stated.		Initial	
Reference Core items relate to general sar standard operating procedures (illation, operational controls, facili (SSOPs). These items are to be SAY SINK - WEE INTELLIBERT OF THE STAND USING TRANITIZER	ties or structures, equipment design, gene e corrected by the next regular inspection. A TUB AS SANIT	on or as stated.		Initial	
Reference Core items relate to general sar standard operating procedures 4-301.12 HAS 2 E SANIT SUGG - TEG - ORDI	initation, operational controls, facilities (SSOPS). These items are to be SAY SINK - WEE ITEMS TO BE WITH AND TIZE PORTOR AND	ties or structures, equipment design, gene e corrected by the next regular inspection. BAYS FOR U. A TUB AS SANIT TO 100-200 PTM	on or as stated.		Initial	
Reference Core items relate to general sar standard operating procedures 4-301.12 HAS 2 E SANIT SUGG - TEG - ORDI	illation, operational controls, facili (SSOPs). These items are to be SAY SINK - WEE INTELLIBERT OF THE STAND USING TRANITIZER	ties or structures, equipment design, gene e corrected by the next regular inspection. BAYS FOR U. A TUB AS SANIT TO 100-200 PTM	on or as stated.		Initial	
Reference Core items relate to general sar standard operating procedures 4-301.12 HAS 2 E SANIT SUGG - TEG - ORDI	initation, operational controls, facilities (SSOPS). These items are to be SAY SINK - WEE ITEMS TO BE WITH AND TIZE PORTOR AND	ties or structures, equipment design, gene e corrected by the next regular inspection. BAYS FOR U. A TUB AS SANIT TO 100-200 PTM	on or as stated.		Initial	
Reference Core items relate to general sar standard operating procedures 4-301.12 HAS 2 E SANIT SUGG - TEG - ORDI	initation, operational controls, facilities (SSOPS). These items are to be SAY SINK - WEE ITEMS TO BE WITH AND TIZE PORTOR AND	ties or structures, equipment design, gene e corrected by the next regular inspection. BAYS FOR U. A TUB AS SANIT TO 100-200 PTM	on or as stated.		Initial	
Reference Core items relate to general sar standard operating procedures of the standard operating procedures operating	initation, operational controls, facilities (SSOPS). These items are to be SAY SINK - NEE ITEMS TO BE ITEMS.	ties or structures, equipment design, gene e corrected by the next regular inspection. BAYS FOR U. A TUB AS SANIT TO 100-200 PFM 37K.TS	ORSHIRINGE		Initial	
Reference Core items relate to general sanstandard operating procedures 4-301.12 HAS 2 E SANIT SUCCE - ORDI 4-302.14 NO SAN - ORDI NOTE- DIS	ACCUSSION WA	ties or structures, equipment design, gene e corrected by the next regular inspection. D 3 BAYS FOR U. A TUB AS SANIT TO 100-200 PTM 57KITS PS	ALCTABLES		Initial	
Reference Core items relate to general sanstandard operating procedures of the standard operating procedures operating	ANTERS - BEG	ties or structures, equipment design, gene e corrected by the next regular inspection. D 3 BAYS FOR U. A TUB AS SANIT TO 100 - 200 PTM STRITS PS SH/RINSE/SANITISE SINNING/ENDOFE	AICTABLLS	(date)	Initial	
Reference Core items relate to general sanstandard operating procedures of the standard operating procedures operating	ANTERS - BEG	ties or structures, equipment design, gene e corrected by the next regular inspection. D 3 BAYS FOR U. A TUB AS SANIT TO 100-200 PTM 57KITS PS	AICTABLLS	(date)	Initial	
Reference Core items relate to general sanstandard operating procedures 4-301.12 HAS 2 E SANIT SUCCE ORDI NOTE - DIS COU - MA	SCNSSIN WA SCNSSI	ties or structures, equipment design, gene e corrected by the next regular inspection. D 3 BAYS FOR U. A TUB AS SANIT TO 100-JOOPPEN STRIFS STRIFS CH/RINSE/SANITSE SANITIZER BE	AICTABLLS TWEEN ENNT	(date)	Initial	
Reference Core items relate to general sanstandard operating procedures of the standard operating procedures operating	ATTO IN BATH	ties or structures, equipment design, gene e corrected by the next regular inspection. D 3 BAYS FOR U. A TUB AS SANIT TO 100 - 200 PTM STRITS PS SH/RINSE/SANITISE SINNING/ENDOFE	AICTABLLS TWEEN ENNT	(date)	Initial	
Reference Core items relate to general sanstandard operating procedures 4-301.12 HAS 2 E SANIT SANIT SUBSE ORDI 1-302.14 NO SAN ORDI NOTE - DIS COU - MA - CLEAN VE	ANTERS - BEE TEST STEIL TEST	ties or structures, equipment design, gene e corrected by the next regular inspection. D 3 BAYS FOR U. A TUB AS SANIT TO 100-JOOPPEN STRIFS STRIFS CH/KINSE/SANITSE SINNING/ENDOFE TO SANITIZER BI PROVIDED OR COMMENTS	AICTABLLS TWEEN ENNT	(date)	Initial	
Reference Core items relate to general sanstandard operating procedures of the standard operating procedures operating	ANTERS - BEE TEST STEIL TEST	ties or structures, equipment design, gene e corrected by the next regular inspection. D 3 BAYS FOR U. A TUB AS SANIT TO 100-JOOPPEN STRIFS STRIFS CH/KINSE/SANITSE SINNING/ENDOFE TO SANITIZER BI PROVIDED OR COMMENTS	AICTABLLS TWEEN ENNT	(date)	Initial	
Reference Core items relate to general sar standard operating procedures 4-301.12 HAS 2 II SANTT SALE ORDI 4-302.14 NO SANT ORDI COU MA Person in Charge /Title:	SCNSSIN WA SCNSSI	ties or structures, equipment design, gene e corrected by the next regular inspection. D 3 BAYS FOR U. A TUB AS SANIT TO 100-JOOPPEN STRIFS STRIFS CH/KINSE/SANITSE SINNING/ENDOFE TO SANITIZER BI PROVIDED OR COMMENTS	AICTABLES AICTABLES	(date)	Initial	
Reference Core items relate to general sar standard operating procedures 4-301.12 HAS 2 III SANTO SANTO SANTO ORDI H-302.14 NO SANTO ORDI Person in Charge /Title:	SCNSSING WA SCNSS	ties or structures, equipment design, gene e corrected by the next regular inspection. D 3 BAYS FOR U. A TUB AS SANIT TO 100-JOOPPEN STRIFS STRIFS CH/KINSE/SANITSE SINNING/ENDOFE TO SANITIZER BI PROVIDED OR COMMENTS	AICTABLES TWELD ENNT	(date)	Initial	