

MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES BUREAU OF ENVIRONMENTAL HEALTH SERVICES FOOD ESTABLISHMENT INSPECTION REPORT

TIME IN 9:00 Am		TIME:243	-
PAGE	of d	2	

NEXT ROUTING INSPECTION, OR SUCH SHORTER PERIOD OF TIME AS MAY BE SPECIFIED IN WRITING BY THE REGULATORY AUTHORITY. FAILURE TO COMPLY WITH ANY TIME LIMITS FOR CORRECTIONS SPECIFIED IN THIS NOTICE MAY RESULT IN CESSATION OF YOUR FOOD OPERATIONS **ESTABLISHMENT NAME:** OWNER: PERSON IN CHARGE: BILL TOLLACK TWIN CINEMA CHRIS COSTIN EXTER COUNTY: ADDRESS: W BUSINES 5 60 CITY/ZIP FAX: 6384 P.H. PRIORITY: | H | M | L MO ESTABLISHMENT TYPE BAKERY RESTAURANT ☐ INSTITUTION☐ MOBILE VENDORS C. STORE CATERER DELL GROCER TAVERN **GROCERY STORE** ☐ DELI
☐ TEMP. FOOD ☐ SCHOOL SENIOR CENTER PURPOSE ☐ Pre-opening ☐ Complaint ☐ Other ☐ Routine ☐ Follow-up FROZEN DESSERT SEWAGE DISPOSAL WATER SUPPLY ☐ Approved ☐ Disapproved ☐ Not Applicable PUBLIC **COMMUNITY** NON-COMMUNITY PRIVATE PRIVATE Date Sampled Results RISK FACTORS AND INTERVENTIONS Risk factors are food preparation practices and employee behaviors most commonly reported to the Centers for Disease Control and Prevention as contributing factors in foodborne illness outbreaks. Public health interventions are control measures to prevent foodborne illness or injury cos Compliance Compliance COS IN OUT Person in charge present, demonstrates knowledge, IN OUT NO NA Proper cooking, time and temperature and performs duties IN OUT NO NA Proper reheating procedures for hot holding IN OUT NO NA IN OUT Management awareness; policy present Proper cooling time and temperatures Proper hot holding temperatures IN OUT Proper use of reporting, restriction and exclusion IN OUT NO N/A Proper cold holding temperatures IN OUT N/A IN OUT NO IN OUT N/O N/A Proper eating, tasting, drinking or tobacco use Proper date marking and disposition IN OUT N/O No discharge from eyes, nose and mouth IN OUT N/O N/A Time as a public health control (procedures / IN OUT NO Consumer advisory provided for raw or IN OUT N/A Hands clean and properly washed undercooked food IN OUT N/O No bare hand contact with ready-to-eat foods or Highly Susceptible Populations approved alternate method properly followed IN OUT IN OUT NO NA Adequate handwashing facilities supplied & Pasteurized foods used, prohibited foods not accessible offered (IN) OUT Food obtained from approved source Food additives: approved and properly used IN_OUT IN OUT NO NA Food received at proper temperature IN OUT Toxic substances properly identified, stored and IN OUT Food in good condition, safe and unadulterated Conformance with Approved Procedure IN OUT NO NA IN OUT Required records available: shellstock tags, parasite Compliance with approved Specialized Process destruction and HACCP plan Protection from Contamination The letter to the left of each item indicates that item's status at the time of the IN OUT N/A Food separated and protected inspection. IN OUT N/A Food-contact surfaces cleaned & sanitized IN = in compliance OUT = not in compliance N/A = not applicable N/O = not observed IN OUT (NO) Proper disposition of returned, previously served, COS = Corrected On Site R = Repeat Item reconditioned, and unsafe food Good Retail Practices are preventative measures to control the introduction of pathogens, chemicals, and physical objects into foods OUT IN COS COS R Pasteurized eggs used where required In-use utensils: properly stored Water and ice from approved source Utensils, equipment and linens: properly stored, dried, handled Single-use/single-service articles: properly stored, used Food Temperature Contro Adequate equipment for temperature control Gloves used properly Approved thawing methods used Food and nonfood-contact surfaces cleanable, properly Thermometers provided and accurate designed, constructed, and used Warewashing facilities: installed, maintained, used; test strips used Nonfood-contact surfaces clean Food properly labeled; original container Hot and cold water available; adequate pressure Insects, rodents, and animals not present 6 Contamination prevented during food preparation, storage Plumbing installed; proper backflow devices and display Personal cleanliness: clean outer clothing, hair restraint, Sewage and wastewater properly disposed fingernails and jewelry Wiping cloths: properly used and stored Toilet facilities: properly constructed, supplied, cleaned Fruits and vegetables washed before use Garbage/refuse properly disposed; facilities maintained Physical facilities installed, maintained, and clean Person in Charge /Title: Date: 24-19 Telephone No. EPHS No. Inspector: Follow-up: No Follow-up Date: 04-29-19 582 DILLIA DISTRIBUTION: WHITE - OWNER'S COPY CANARY - FILE COPY MO 580-1814 (11-14)

BASED ON AN INSPECTION THIS DAY, THE ITEMS NOTED BELOW IDENTIFY NONCOMPLIANCE IN OPERATIONS OR FACILITIES WHICH MUST BE CORRECTED BY THE



MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES BUREAU OF ENVIRONMENTAL HEALTH SERVICES FOOD ESTABLISHMENT INSPECTION REPORT

TIME !NOO Ame	TIME OUTS
PAGE Z of	

ESTABLISHMENT NAME	ADDRESS		CITY	ZIP
DEXTERTWINGINEMA	1618 WBUS		DERZER	63841
FOOD PRODUCT/LOCATION	TEMP.	FOOD PRODUCT/	LOCATION	TEMP.
REF	360			
	1			
	/			
Code	PRIORITY ITE	MS		Correct by Initial
Reference Priority items contribute directly to the e	limination, prevention or reduction to	o an acceptable level, hazards a	ssociated with foodborne illness	(date)
or injury. These items MUST RECEIVE	IMMEDIATE ACTION within 72 h	ours or as stated.		
4-202.11 CIELING TIL	CANDA	M- LDICAT	-10 8001	
A LEGIT CIELING III	KS ADOVE CO	25100 K4 2K41	- PFOLEN	
11135126	LAND#1 163 ABOVE CO ALLOWING EX NTAMINATION	185ED INSULA	0.15. 100	
CN055 (0.	JAMIN 4010	WIDEDOF	Castoutk.	
REFINE	TILLECTEL	Val la mEN	0711401	4-27-19
REPLACE TILKS (CIELING) IMMEDIATELY DI DISCONTINUE USE OF THEATER #2				
POCON	st. NUE USE	OF ITTERIER	his work	
TILLES		1011		
THEATER TH	-7 TILESH	HCNENI		
THEATEKT	2-11 TILES			
The second secon				
		 		
Code	COREITEN	S		Correct by Initial
Code Reference Core items relate to general sanitation,		uctures, equipment design, gene		Correct by Initial (date)
Code Reference Core items relate to general sanitation, standard operating procedures (SSOPs	operational controls, facilities or str	uctures, equipment design, gene		
Reference Core items relate to general sanitation, standard operating procedures (SSOPs	operational controls, facilities or str). These items are to be corrected	uctures, equipment design, gene d by the next regular inspection	on or as stated.	
Reference Core items relate to general sanitation, standard operating procedures (SSOPs	operational controls, facilities or str). These items are to be corrected	uctures, equipment design, gene d by the next regular inspection	on or as stated.	
Reference Core items relate to general sanitation, standard operating procedures (SSOPs	operational controls, facilities or str). These items are to be corrected	uctures, equipment design, gene d by the next regular inspection	on or as stated.	
Reference Core items relate to general sanitation,	operational controls, facilities or str). These items are to be corrected	uctures, equipment design, gene d by the next regular inspection	on or as stated.	
Reference Core items relate to general sanitation, standard operating procedures (SSOPs 6-501, 114 - MRTRESS Pum 857 - RLm 6	operational controls, facilities or str.). These items are to be corrected. 433, Door STR. ERS	uctures, equipment design, general design, gen	BUILDING BY	
Reference Core items relate to general sanitation, standard operating procedures (SSOPS) 6-501.114 - MRTRESS Pum 857 - Rim 0	operational controls, facilities or str.). These items are to be corrected by the corrected	ASH BEHOUD LUTTER SSING FED TO	BUILDING BY	
Reference Core items relate to general sanitation, standard operating procedures (SSOPS) 6-501.114 - MRTRESS Pum 859 - REm 0 6-201.11 Guttes De BACK De	operational controls, facilities or str. These items are to be corrected. WIS, DOORS TR. ERS OUR TRASHACO OURS FOUT MISS OOR OF THICATE	ASH BEHOUD LUTTIFF SSING FROM R #/	BUILDING BY GWTTER BY	
Reference Core items relate to general sanitation, standard operating procedures (SSOPS) 6-501.114 - MRTRESS Pum 859 - REm 0 6-201.11 Guttes De BACK De	operational controls, facilities or str.). These items are to be corrected by the corrected	ASH BEHOUD LUTTIFF SSING FROM R #/	BUILDING BY GWTTER BY	
Reference Core items relate to general sanitation, standard operating procedures (SSOPS) 6-501.114 - MRTRESS Pum 859 - REm 0 6-201.11 Guttes De BACK De	operational controls, facilities or str. These items are to be corrected. WIS, DOORS TR. ERS OUR TRASHACO OURS FOUT MISS OOR OF THICATE	ASH BEHOUD LUTTIFF SSING FROM R #/	BUILDING BY GWTTER BY	
Reference Core items relate to general sanitation, standard operating procedures (SSOPS) 6-501.114 - MRTRESS Pum 859 - REm 0 6-201.11 Guttes De BACK De	operational controls, facilities or str. These items are to be corrected. WIS, DOORS TR. ERS OUR TRASHACO OURS FOUT MISS OOR OF THICATE	actures, equipment design, general design, gen	BUILDING BY GWTTER BY	
Reference Core items relate to general sanitation, standard operating procedures (SSOPS) 6-501.114 - MRTRESS Pum 859 - REm 0 6-201.11 Guttes De BACK De	operational controls, facilities or str. These items are to be corrected. WIS, DOORS TR. ERS OUR TRASHACO OURS FOUT MISS OOR OF THICATE	actures, equipment design, general design, gen	BUILDING BY GWTTER BY	
Reference Core items relate to general sanitation, standard operating procedures (SSOPS) 6-501.114 - MRTRESS Pum 859 - REm 0 6-201.11 Guttes De BACK De	operational controls, facilities or str. These items are to be corrected. WIS, DOORS TR. ERS OUR TRASHACO OURS FOUT MISS OOR OF THICATE	actures, equipment design, general design, gen	BUILDING BY GWTTER BY	
Reference Core items relate to general sanitation, standard operating procedures (SSOPS) 6-501.114 - MRTRESS Pum 859 - REm 0 6-201.11 Guttes De BACK De	operational controls, facilities or str. These items are to be corrected. WIS, DOORS TR. ERS OUR TRASHACO OURS FOUT MISS OOR OF THICATE	actures, equipment design, general design, gen	BUILDING BY GWTTER BY	
Reference Core items relate to general sanitation, standard operating procedures (SSOPS) 6-501.114 - MRTRESS Pum 859 - REm 0 6-201.11 Guttes De BACK De	operational controls, facilities or str. These items are to be corrected. WIS, DOORS TR. ERS OUR TRASHACO OURS FOUT MISS OOR OF THICATE	actures, equipment design, general design, gen	BUILDING BY GWTTER BY	
Reference Core items relate to general sanitation, standard operating procedures (SSOPS) 6-501.114 - MRTRESS Pum 859 - REm 0 6-201.11 Guttes De BACK De	operational controls, facilities or str. These items are to be corrected. WIS, DOORS TR. ERS OUR TRASHACO OURS FOUT MISS OOR OF THICATE	actures, equipment design, general design, gen	BUILDING BY GWTTER BY	
Reference Core items relate to general sanitation, standard operating procedures (SSOPS) 6-501.114 - MRTRESS Pum 859 - REm 0 6-201.11 Guttes De BACK De	operational controls, facilities or str. These items are to be corrected. WIS, DOORS TR. ERS OUR TRASHACO OURS FOUT MISS OOR OF THICATE	actures, equipment design, general design, gen	BUILDING BY GWTTER BY	
Reference Core items relate to general sanitation, standard operating procedures (SSOPS) 6-501.114 - MRTRESS Pum 859 - REm 0 6-201.11 Guttes De BACK De	operational controls, facilities or str. These items are to be corrected. WIS, DOORS TR. ERS OUR TRASHACO OURS FOUT MISS OOR OF THICATE	actures, equipment design, general design, gen	BUILDING BY GWTTER BY	
Reference Core items relate to general sanitation, standard operating procedures (SSOPS) 6-501.114 - MRTRESS Pum 859 - REm 0 6-201.11 Guttes De BACK De	operational controls, facilities or str. These items are to be corrected. W. S. DOOR S. T. R. E. R. S. L. R. R. S. H. C. OLLAS FOLT MIS POR S. T. H. G. A. T. B. DOWN S. FOLT DOW	actures, equipment design, general by the next regular inspection. ASH BEHOUD LUTTER SSING FROM R #/ TO PREVENT	BUILDING BY GWTTER BY	
Reference Core items relate to general sanitation, standard operating procedures (SSOPS) 6-501.114 - MRTRESS Pum 859 - REm 0 6-201.11 Guttes De BACK De	operational controls, facilities or str. These items are to be corrected. WIS, DOORS TR. ERS OUR TRASHACO OURS FOUT MISS OOR OF THICATE	actures, equipment design, general by the next regular inspection. ASH BEHOUD LUTTER SSING FROM R #/ TO PREVENT	BUILDING BY GWTTER BY	
Reference Core items relate to general sanitation, standard operating procedures (SSOPS) 6-501.114 - MRTRESS Pum 859 - REm 0 6-201.11 Guttes De BACK De	operational controls, facilities or str. These items are to be corrected. W. S. DOOR S. T. R. E. R. S. L. R. R. S. H. C. OLLAS FOLT MIS POR S. T. H. G. A. T. B. DOWN S. FOLT DOW	actures, equipment design, general by the next regular inspection. ASH BEHOUD LUTTER SSING FROM R #/ TO PREVENT	BUILDING BY GWTTER BY	
Reference Core items relate to general sanitation, standard operating procedures (SSOPs 6-501.114 - MATRESS Pum 857 - RLm 6 6-201.11 Guttler De BACK De BACK De CREP, ACE	operational controls, facilities or str. These items are to be corrected. W. S. DOOR S. T. R. E. R. S. L. R. R. S. H. C. OLLAS FOLT MIS POR S. T. H. G. A. T. B. DOWN S. FOLT DOW	actures, equipment design, general by the next regular inspection. ASH BEHOUD LUTTER SSING FROM R #/ TO PREVENT	BUILDING BY GUTTER BY LEAKING	
Reference Core items relate to general sanitation, standard operating procedures (SSOPS) 6-501.114 - MRTRESS Pum 859 - REm 0 6-201.11 Guttes De BACK De	operational controls, facilities or str. These items are to be corrected. W. S. DOOR S. T. R. E. R. S. L. R. R. S. H. C. OLLAS FOLT MIS POR S. T. H. G. A. T. B. DOWN S. FOLT DOW	actures, equipment design, general by the next regular inspection. ASH BEHOUD LUTTER SSING FROM R #/ TO PREVENT	BUILDING BY GWTTER BY	
Reference Core items relate to general sanitation, standard operating procedures (SSOPs 6-501.114 - MATRESS Pum 857 - RLm 6 6-201.11 Guttler De BACK De BACK De CREP, ACE	operational controls, facilities or str. These items are to be corrected. W. S. DOOR S. T. R. E. R. S. L. R. R. S. H. C. OLLAS FOLT MIS POR S. T. H. G. A. T. B. DOWN S. FOLT DOW	actures, equipment design, general by the next regular inspection. ASH BEHOUD LUTTER SSING FROM R #/ TO PREVENT	BUILDING BY GUTTER BY LEAKING	(date)