

MISSOURI DEPARTMENT. OF HEALTH AND SENIOR SERVICES BUREAU OF ENVIRONMENTAL HEALTH SERVICES FOOD ESTABLISHMENT INSPECTION REPORT

TIME IN	TIME OUT
PAGE / of	2

NEXT ROUTIN	IE INSPE	CTION THIS DAY, THE ITEMS NO CCTION, OR SUCH SHORTER PE	RIOD OF TIM	ME AS I	MAY BE	SPEC	IFIED	IN WR	ITING BY T	THE REC	BULATORY	YAUTHO	H MUST DRITY.	FAILURE	RECTED TO COM	BY TI	HE
ESTABLISH	HMENT		OWNER	₹:		ESULI	IN CE	.55A11	ON OF YO	UR FOO	PE	RSON I	N CHA	RGE:	10		-
ADDRESS:	1)CH	MARKET		American	Ŧ						15k	CIAL)	CRY	WFO)	FD		
	(EAST STODDAY	DUONE				FAX		-		- 00	UNTY:	STO	DDAR'	D		
CITY/ZIP:	DEX	TER 63841	PHONE 624	1-9	140		FAX				P.F	I. PRIO	RITY:	□н□] M [∃L	
☐ BAKER	Y	C. STORE CATERE	CENTER	DE SU	ELI MMER	F.P.		GROC AVER	ERY STOR N		INSTITUTE TEMP.F			☐ MOBILE	E VEND	ORS	
PURPOSE Pre-oper	ning	Routine Follow-up	☐ Compl	aint	☐ Oti	her									141		
FROZEN DE DApproved Dicense No.	Disapp	roved Not Applicable	SEWAGE PUBL PRIVA	IC	OSAL				JPPLY UNITY		NON-COM			□ PRI\	/ATE		
		X.65 a.452.52	RIS	SK FAC	CTORS	AND	INTE	RVEN	ITIONS				19,833				
Risk factors a	are food p	preparation practices and employeeaks. Public health intervention	e behaviors r	nost co	mmonly	report	ed to t	ne Cen	ters for Dis	ease Co	ntrol and P	reventio	n as cor	ntributing fa	actors in		
Compliance	manage acres at 2	Demonstration of K		ricasar	COS		Co	mplianc	e			ally Haza				cos	R
OUT OUT		Person in charge present, demo	nstrates know	wledge,			IN	OUT	N/O N/A	Proper	cooking, ti	ime and t	tempera	ature	-		
IN OUT		Employee He Management awareness; policy							N/O N/A N/O N/A					hot holding			
IN OUT		Proper use of reporting, restricti	on and exclus	sion		(N/O N/A	Proper	cooling tin	g temper	atures	ures			
IN OUT N/O		Good Hygienic Pr						OUT	N/A	Proper	cold holdir	ng tempe	ratures				
IN OUT N/O		Proper eating, tasting, drinking of No discharge from eyes, nose a		B	and the same				N/O N/A	Time a	date mark	ing and chealth co	ntrol (pr	on rocedures /			
		Preventing Contaminati	on by Hands			The State of the S	- Christian	parties of the last of the las	N. S. of Concession, S. of Con	records	3)	nsumer A					
NOUT NO		Hands clean and properly wash	ed		and the same	CONTRACTOR OF SECURITION	IN	OUT	N/A		mer adviso	ry provid	ed for ra	aw or			
IN OUT N/O		No bare hand contact with read	y-to-eat foods	or		3 101				underc	ooked food Highly S		e Popul	ations			
(IN OUT	-	approved alternate method prop Adequate handwashing facilities			+		IN	OUT	N/O N/A	Pasteu	rized foods	s used n	rohibite	d foods not			
		accessible Approved Sou					-		101111	offered				a loods flot			
IN OUT		Food obtained from approved so				-	IN	OUT	(N/A	Food a	dditives: a	Chemi		perly used		-	-
IN' OUT N/O	N/A	Food received at proper temper	ature				(IN)	OUT						ed, stored a	and		- 44
IN OUT	_	Food in good condition, safe and								Cor				rocedures		M-1	
IN OUT N/O	NA	Required records available: she destruction		arasite			IN	OUT	(N/A)		ance with a	approved	Specia	lized Proce	ess		
IN OUT	N/A	Protection from Cont Food separated and protected	animation						o the left of	each ite	m indicate	s that iter	m's stat	us at the tir	me of the	е	
IN OUT	N/A	Food-contact surfaces cleaned a	& sanitized					ection. IN = in	compliance	е	OL	JT = not i	n comp	liance			
IN OUT N/O)	Proper disposition of returned, p	reviously serv	/ed,	-				ot applicable orrected On			O = not c = Repeat		d			
		reconditioned, and unsafe food		G	DOD RE	ETAIL F											
		Good Retail Practices are prevent	ative measur	THE RESERVE OF THE PARTY OF THE	THE OWNER OF TAXABLE PARTY.	THE RESERVE OF THE PERSON NAMED IN	With the second	Section 1	nogens, che	emicals,	and physic	al object	s into fo	ods.			
IN OUT		Safe Food and Water			cos	R	IN	OUT			Proper Use		sils		CO	SR	
		urized eggs used where required and ice from approved source			7			-			roperly sto ent and line		erly sto	red dried			-
							1		handled								
	Adequ	Food Temperature Cont ate equipment for temperature co					and .		Gloves u			ticles: pro	operly s	tored, used	1		
	Approv	ved thawing methods used								Utens	ils, Equipm	nent and	Vending				
X	Therm	ometers provided and accurate					1				d-contact s ucted, and		cleanab	le, properly	/		
		Food Identification						K		shing fac			intained	, used; test	t		
~	Food p	properly labeled; original container					1000		Nonfood-	-contact	surfaces cl						
0	Insects	Prevention of Food Contami s, rodents, and animals not preser		ing the second			-		Hot and	cold wate	Physical er available	Facilities		cure			
1	Contar	mination prevented during food pro		rage			-				d; proper b						
1		splay nal cleanliness: cléan outer clothin nails and jewelry	g, hair restrai	nt,			P		Sewage	and was	tewater pro	perly dis	posed				
-	Wiping	cloths: properly used and stored					Jan.		Toilet fac	cilities: pr	operly con	structed,	supplie	d, cleaned			
1	Fruits a	and vegetables washed before us	е				AND AND		Garbage	/refuse p	roperly dis installed, r	posed; fa	acilities	maintained			
Person in Ch	arge /Ti	tle:							1 Trysical		Date:		t /	olean			
Inspector:	1	-ABANIC		Telepl	hone N	lo.			EPHS No		Follow-up			Yes	也	No	
MO 580-1814 (11-14	1 = ++-	= A) BEALLY C	DISTRIBUTION	WHITE	- 95	'S COPY			13800		Follow-up	Date:		NR	7		0.7



MISSOURI DEPARTMENT HEALTH AND SENIOR SERVICES BUREAU OF ENVIRONMENTAL HEALTH SERVICES FOOD ESTABLISHMENT INSPECTION REPORT

TIME IN	TIME, OUT
PAGE Zof	2

ESTABLISHMENT NAME	ADDRESS		CITY	ZIP	.//
FRENCH MARKET	11 EAST ST		DEXTER	638	
FOOD PRODUCT/LOCATION	TEMP.	FOOD PRODUC	T/ LOCATION	TE TE	MP.
CHEESE COOLLY COS	43°		The state of the s		
METAL REFRIGHEATTOR	40° *	and the same of th			
Code	PRIOR	RITY ITEMS		Correct b	v Initial
Reference Priority items contribute directly to the or injury. These items MUST RECEI	e elimination, prevention or red VE IMMEDIATE ACTION with	duction to an acceptable level, hazard nin 72 hours or as stated.		e illness (date)	y Illidai
4-601, 114 SOME MOI	A BUILDING	ICE MAKER-C	CEANW		
SANIT	TER CIXI	mo-Trl om			
	The second of th				Miles president market
	761				
		AF ITEMS			
Code Reference Core items relate to general sanitation standard operation procedures (SSO)	n, operational controls, facilities	RE ITEMS s or structures, equipment design, ge	neral maintenance or sanita	Correct b (date)	y Initial
Reference Core items relate to general sanitation standard operating procedures (SSOI	n, operational controls, facilities Ps). These items are to be co	s or structures, equipment design, ge orrected by the next regular inspec	ction or as stated.	Correct b (date)	y Initial
Reference Core items relate to general sanitation standard operating procedures (SSOI 4-362.14 NO TEST	n, operational controls, facilitie Ps). These items are to be controls.	s or structures, equipment design, ge orrected by the next regular inspector, 71, 72 L.R 6 L.Y. 71	STSTRIPS	ation (date)	y Initial
Reference Core items relate to general sanitation standard operating procedures (SSOI 4-362.14 NO TEST	n, operational controls, facilitie Ps). These items are to be controls.	s or structures, equipment design, ge orrected by the next regular inspector, 71, 72 L.R 6 L.Y. 71	STSTRIPS	ation (date)	y Initial
Reference Core items relate to general sanitation standard operating procedures (SSOI 4-362.14 NO TEST	n, operational controls, facilitie Ps). These items are to be controls.	s or structures, equipment design, ge orrected by the next regular inspec	STSTRIPS	ation (date)	y Initial
Reference Core items relate to general sanitation standard operating procedures (SSOI 4 - 362 . 14 NO TEST (SAILEY (CONTROLL)	m, operational controls, facilities Ps). These items are to be controls. HIT FOR SAN	s or structures, equipment design, ge orrected by the next regular inspect of the structure	STSTRIPS	ation (date)	y Initial
Reference Core items relate to general sanitation standard operating procedures (SSO) 4-362.14 NO TEST #BAILEY** 4-204.112 - NO THERMS	HLDZINL TEST	s or structures, equipment design, ge orrected by the next regular inspector. The structure of the structure	tion or as stated. STSTKIPS 100-200 PR	ation (date)	y Initial
Reference Core items relate to general sanitation standard operating procedures (SSO) 4-362.14 NO TEST #BAILEY** 4-204.112-NO THERMS	HLDZINL TEST	s or structures, equipment design, ge orrected by the next regular inspect of the structure	tion or as stated. STSTKIPS 100-200 PR	ation (date)	y Initial
Reference Core items relate to general sanitation standard operating procedures (SSO) 4-362.14 NO TEST #BAILEY** 4-204.112-NO THERMS	HLDZINL TEST	s or structures, equipment design, ge orrected by the next regular inspector. The structure of the structure	tion or as stated. STSTKIPS 100-200 PR	ation (date)	y Initial
Reference Core items relate to general sanitation standard operating procedures (SSO) 4-362.14 NO TEST #BAILEY** 4-204.112-NO THERMS	HLDZINL TEST	s or structures, equipment design, ge orrected by the next regular inspector. The structure of the structure	tion or as stated. STSTKIPS 100-200 PR	ation (date)	y Initial
Reference Core items relate to general sanitation standard operating procedures (SSO) 4-362.14 NO TEST #BAILEY** 4-204.112-NO THERMS	HLDZINL TEST	s or structures, equipment design, ge orrected by the next regular inspector. The structure of the structure	tion or as stated. STSTKIPS 100-200 PR	ation (date)	y Initial
Reference Core items relate to general sanitation standard operating procedures (SSO) 4-362.14 NO TEST #BAILEY** 4-204.112-NO THERMS	HLDZINL TEST	s or structures, equipment design, ge orrected by the next regular inspector. The structure of the structure	tion or as stated. STSTKIPS 100-200 PR	ation (date)	y Initial
Reference Core items relate to general sanitation standard operating procedures (SSO) 4-362.14 NO TEST #BAILEY** 4-204.112-NO THERMS	HLDZINL TEST	s or structures, equipment design, ge orrected by the next regular inspector. The structure of the structure	tion or as stated. STSTKIPS 100-200 PR	ation (date)	y Initial
Reference Core items relate to general sanitation standard operating procedures (SSO) 4-362.14 NO TEST #BAILEY** 4-204.112-NO THERMS	HLDZINL TEST	s or structures, equipment design, ge orrected by the next regular inspector. The structure of the structure	tion or as stated. STSTKIPS 100-200 PR	ation (date)	y Initial
Reference Core items relate to general sanitation standard operating procedures (SSO) 4-362.14 NO TEST #BAILEY** 4-204.112-NO THERMS	HLDZINL TEST	s or structures, equipment design, ge orrected by the next regular inspector. The structure of the structure	tion or as stated. STSTKIPS 100-200 PR	ation (date)	y Initial
Reference Core items relate to general sanitation standard operating procedures (SSO) 4-362.14 NO TEST #BAILEY** 4-204.112-NO THERMS	HLDZINL TEST	s or structures, equipment design, ge orrected by the next regular inspector. The structure of the structure	tion or as stated. STSTKIPS 100-200 PR	ation (date)	y Initial
Reference Core items relate to general sanitation standard operating procedures (SSO) 4-362.14 NO TEST #BAILEY** 4-204.112-NO THERMS	HLDZINL TEST	s or structures, equipment design, ge orrected by the next regular inspector. The structure of the structure	tion or as stated. STSTKIPS 100-200 PR	ation (date)	y Initial
Reference Core items relate to general sanitation standard operating procedures (SSO) 4-362.14 NO TEST #BAILEY** 4-204.112-NO THERMS	HLDRING (#5)	s or structures, equipment design, ge orrected by the next regular inspector. The structure of the structure	tion or as stated. STSTKIPS 100-200 PR	ation (date)	y Initial
Reference Core items relate to general sanitation standard operating procedures (SSO) 4-362.14 NO TEST #BAILEY** 4-204.112-NO THERMS	HLDRING (#5)	S or structures, equipment design, georgeted by the next regular inspection of the structure of the structur	tion or as stated. STSTKIPS 100-200 PR	ation (date)	y Initial
Reference Core items relate to general sanitation standard operating procedures (SSO) 4-362.14 NO TEST #BAILEY** 4-204.112-NO THERMS	HLDRING (#5)	S or structures, equipment design, georgeted by the next regular inspection of the structure of the structur	tion or as stated. STSTKIPS 100-200 PR	ation (date)	y Initial
Reference Core items relate to general sanitation standard operating procedures (SSO) 4-362.14 NO TEST #BAILEY** 4-204.112-NO THERMS	HLDRING (#5)	S or structures, equipment design, georgeted by the next regular inspection of the structure of the structur	tion or as stated. STSTKIPS 100-200 PR	ation (date)	y Initial
Reference Core items relate to general sanitation standard operating procedures (SSO) 4-362.14 NO TEST (BAILEY (CONTINUE) (Main)	EDUCATION PF	Sor structures, equipment design, georgected by the next regular inspection of the structure of the structur	tion or as stated. 57 57 K.PS 100-200 PR 11 K.D THEKMON	ation (date)	y Initial