

MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES BUREAU OF ENVIRONMENTAL HEALTH SERVICES FOOD ESTABLISHMENT INSPECTION REPORT

TIME IN	TIME OUT
PAGE / of	2

NEVT DOUTING	INICOE	TION THIS DAY, THE ITEMS NO CTION, OR SUCH SHORTER PE FOR CORRECTIONS SPECIFI	FRIOD OF TIME	AS MAY	Y BE SI	PECI	FIED II	A WKII	IINGBYI	HE KEG	OLATORT AUTHORITE	T BE CORREC FAILURE TO (TED BY	Y THE
ESTABLISH	MENT I		OWNER:	TOL WA	I KLO	OLI I	IV OLC	,0,1110			PERSON IN CHA	ARGE:	~ 4	<
ADDRESS:	4	253 STATE	HIT	<u> </u>							COUNTY:	50		
CITY/ZIP:	4.	0 mo 63960	PHONE:	353	37		FAX:				P.H. PRIORITY :		л 🗆 I	
ESTABLISHMEN BAKERY	T TYPE	☐ C. STORE ☐ CATERI	ER [DELI					RY STOR		INSTITUTION			
☐ RESTAU PURPOSE	RANT	SCHOOL SENIOR	CENTER Complain	TEMP	Other		<u> </u>	AVERN			MOBILE VENDORS			
Pre-open		Routine Follow-up	SEWAGE D				WATE	R SU	PPLY					-
☐Approved ☐ License No.	Disappr	oved Not Applicable	PUBLIC PRIVAT			[□ C	JMMC	JNITY		NON-COMMUNITY Date Sampled	PRIVAT Results		- Aland Dalland
				FACT								4.1111		
Risk factors a foodborne illne	re food p	oreparation practices and employ eaks. Public health intervention	ee behaviors mo s are control me	st comn	nonly re to preve	porte ent fo	oaborr	ie ilines	ss or injury	ease Co			_	
Compliance		Demonstration of K Person in charge present, dem	Chowledge	-	cos	R	Con	npliance	I/O N/A		Potentially Hazardous cooking, time and temper		CO	S R
IN OUT		and performs duties	10000	Jugo,					I/O N/A		reheating procedures for			
an out		Management awareness; policy					(IN)	OUT N	I/O N/A	Proper	cooling time and tempera	tures		
IN OUT		Proper use of reporting, restrict		n			(IN)		I/O N/A N/A		hot holding temperatures cold holding temperature			
OUT N/O		Proper eating, tasting, drinking	or tobacco use				IN	OUT N	I/O N/A	Proper	date marking and disposi	tion		
OUT N/O		No discharge from eyes, nose	and mouth				IN	001 N	I/O N/A	record				
IN OUT N/O		Preventing Contamine Hands clean and properly wash					IN	OUT	N/A		mer advisory provided for			
OUT N/O		No bare hand contact with read		r		H				underd	cooked food Highly Susceptible Pop	ulations		
IN OUT		approved alternate method pro Adequate handwashing facilitie	perly followed				IN	OUT N	1/O(N/A)	Pasteu	urized foods used, prohibit	ed foods not		
IIIC OUT		accessible Approved So								offered	Chemical			
ON OUT		Food obtained from approved s	source					OUT	N/A		additives: approved and pr substances properly identi			
IN OUT N/O	N/A	Food received at proper tempe	rature				IN	001		used				
IN OUT N/O	NI/A	Food in good condition, safe an Required records available: she					IN	OUT	N/A		informance with Approved liance with approved Spec			
IN OUT N/O	INIA	destruction	138	dono					11100	and H	ACCP plan			_
IN) OUT	N/A	Food separated and protected	Hamiltenon					letter to	the left o	f each ite	em indicates that item's st	atus at the time	of the	
~	N/A	Food-contact surfaces cleaned	& sanitized				1	IN = in	compliand		OUT = not in com N/O = not observ			
IN OUT N/O		Proper disposition of returned,	previously serve	ed,					t applicable prected O		R = Repeat Item	eu		
		reconditioned, and unsafe food		GOO	DD RET	AIL F	RACT	ICES						
		Good Retail Practices are preve	ntative measures	s to cont	trol the	introd	luction	of path	nogens, ch	emicals,	and physical objects into	foods.	cos	R
IN OUT		Safe Food and Water urized eggs used where required		C	cos	R	IN	OUT	In-use u	itensils:	Proper Use of Uterells properly stored		003	K
	Water	and ice from approved source					11		Utensils	, equipn	nent and linens: properly s	tored, dried,		
		Food Temperature Co.	ntrol				1		handled Single-u	ı ıse/singl	e-service articles: properly	stored, used		
~		uate equipment for temperature of					Lor		Gloves	used pro	pperly sils, Equipment and Vend	no.		
-		oved thawing methods used nometers provided and accurate						V	Food ar	nd nonfo	od-contact surfaces cleans	able, properly		
	111011	Food Identification			-				designe Warewa	ed, const ashing fa	ructed, and used cilities: installed, maintain	ed, used; test		
-	Food	properly labeled; original contain				-	1	K	Strips us	sed d-contac	t surfaces clean			
	1000	Prevention of Food Contain	mination						Hot and	Loold wa	Physical Facilities iter available; adequate pr	ATURRA	-	
*	Conta	ts, rodents, and animals not presomination prevented during food p	ent preparation, store	age			1		Plumbir	ng install	ed; proper backflow device	es		
-	Perso	isplay mal cleanliness: clean outer cloth	ing, hair restrain	it,			V		Sewage	and wa	stewater properly dispose	d		
~	finger	nails and jewelry g cloths: properly used and store					-		Toilet fa	acilities:	properly constructed, supp	lied, cleaned		
V	Fruits	and vegetables washed before u	use				-	t	Garbag	e/refuse	properly disposed; facilities installed, maintained, an	es maintained		
Person in Ch	narge /	Title://///	1						Filysica	i raciiide	Date:	.23	-	
Inspector:				Teleph	one No	D.	70		EPHS N	lo.	Follow-up:			No
WII	Lipe	A BRA-DEC	Line and Control of the Control of t	568	743	7	2		CANADY	II E CORY	Follow-up Date: 4	KYK	_	E6.37



MISSOURI DEPARTMENT HEALTH AND SENIOR SERVICES BUREAU OF ENVIRONMENTAL HEALTH SERVICES FOOD ESTABLISHMENT INSPECTION REPORT

TIME IN	TIME OUT
PAGE 2 of	2

		Appress		ÇITY	ZIP	
ESTABLISHMEN'	TNAME	ADDRESS	FIZ HWY T	Prx110	6396	0
W. M.	0 JOB (OR)		FOOD PRODUCT/		TEM	
FOO	OD PRODUCT/LOCATION	TEMP.	FUOD PRODUCT/	LOCATION	I CIVIT	*:
		TR.				
	2 X5 (900					
1	700					
		DDIO	RITY ITEMS		Correct by	Initial
Code Reference	Priority items contribute directly to the elir	mination prevention or re	duction to an acceptable level, hazards a	ssociated with foodborne illness	(date)	
1 (CIEIBIICC	or injury. These items MUST RECEIVE	MMEDIATE ACTION wit	thin 72 hours or as stated.			
7						
					Correct by	Initial
Code	Core items relate to general sanitation. Of	norational controls faciliti	RE ITEMS ies or structures, equipment design, gene	ral maintenance or sanitation	Correct by (date)	Initial
Code Reference	Core items relate to general sanitation, of standard operating procedures (SSOPs).	norational controls faciliti	ies or structures, equipment design, gene	ral maintenance or sanitation on or as stated.		Initial
Reference	standard operating procedures (SSOPs).	perational controls, faciliti These items are to be	ies or structures, equipment design, gene corrected by the next regular inspection	on or as stated.		Initial
Reference	standard operating procedures (SSOPs).	perational controls, faciliti These items are to be	ies or structures, equipment design, gene corrected by the next regular inspection	on or as stated.		Initial
Reference	standard operating procedures (SSOPs).	perational controls, faciliti These items are to be	ies or structures, equipment design, gene corrected by the next regular inspection	on or as stated.		Initia1
Reference	standard operating procedures (SSOPs).	perational controls, faciliti These items are to be	ies or structures, equipment design, gene corrected by the next regular inspection	on or as stated.		Initial
Reference	Core items relate to general sanitation, of standard operating procedures (SSOPs).	perational controls, faciliti These items are to be	ies or structures, equipment design, gene corrected by the next regular inspection	on or as stated.		Initial
Reference	standard operating procedures (SSOPs).	perational controls, faciliti These items are to be	ies or structures, equipment design, gene corrected by the next regular inspection of the control of the contro	TABLE LOOSE LARS		Initial
Reference	standard operating procedures (SSOPs).	These items are to be	ies or structures, equipment design, gene corrected by the next regular inspection 20 T	TABLE LOOSE LARS		initial
Reference	standard operating procedures (SSOPs).	perational controls, faciliti These items are to be	ies or structures, equipment design, gene corrected by the next regular inspection 20 T	TABLE LOOSE LARS		initial
Reference	standard operating procedures (SSOPs).	These items are to be	ies or structures, equipment design, gene corrected by the next regular inspection 20 T	TABLE LOOSE LARS		Initial
Reference	standard operating procedures (SSOPs).	These items are to be	ies or structures, equipment design, gene corrected by the next regular inspection 20 T	TABLE LOOSE LARS		Initial
Reference	standard operating procedures (SSOPs).	These items are to be	ies or structures, equipment design, gene corrected by the next regular inspection 20 T	TABLE LOOSE LARS		Initial
Reference	standard operating procedures (SSOPs). . (- WALK N A-RE . ALK N 	perational controls, facilities items are to be COLLER FOR NOTIFICATE COSTANT OF THE STATE OF	ies or structures, equipment design, gene corrected by the next regular inspection of the corrected by the corre	EAR'S	(date)	Initial
Reference	standard operating procedures (SSOPs).	perational controls, facilities items are to be COLLER FOR NOTIFICATE COSTANT OF THE STATE OF	ies or structures, equipment design, gene corrected by the next regular inspection of the control of the contro	TOUROUS/EAS		Initial
Reference	standard operating procedures (SSOPs). . (- WALK N A-RE . ALK N 	perational controls, facilities items are to be COLLER FOR NOTIFICATE COSTANT OF THE STATE OF	ies or structures, equipment design, gene corrected by the next regular inspection of the corrected by the corre	TOUROUS/EAS	(date)	initial
Reference	standard operating procedures (SSOPs). . (- WALK N A-RE . ALK N 	perational controls, facilities items are to be COLLER FOR NOTIFICATE COSTANT OF THE STATE OF	ies or structures, equipment design, gene corrected by the next regular inspection of the control of the contro	TOUROUS/EAS	(date)	Initial
Reference	standard operating procedures (SSOPs). . (- WALK N A-RE . ALK N 	perational controls, facilities items are to be COLLER FOR NOTIFICATE COSTANT OF THE STATE OF	ies or structures, equipment design, gene corrected by the next regular inspection of the control of the contro	TOUROUS/EAS	(date)	Initial
Reference	standard operating procedures (SSOPs). . (- WALK N A-RE . ALK N 	perational controls, facilities items are to be COLLER FOR NOTIFICATE COSTANT OF THE STATE OF	ies or structures, equipment design, gene corrected by the next regular inspection of the control of the contro	TOUROUS/EAS	(date)	Initial
Reference	standard operating procedures (SSOPs). . (- WALK N A-RE . ALK N 	perational controls, facilities items are to be COLLER FOR NOTIFICATE COSTANT OF THE STATE OF	ies or structures, equipment design, gene corrected by the next regular inspection of the control of the contro	TOUROUS/EAS	(date)	Initial
Reference	standard operating procedures (SSOPs). . (- WALK N A-RE . ALK N 	perational controls, faciliti These items are to be COLLE FUNDATE TO THE STATE OF	ies or structures, equipment design, gene corrected by the next regular inspection of the corrected by the corre	TOUROUS/EAS	(date)	Initial
Reference	standard operating procedures (SSOPs). . (- WALK N A-RE . ALK N 	perational controls, faciliti These items are to be COLLE FUNDATE TO THE STATE OF	ies or structures, equipment design, gene corrected by the next regular inspection of the control of the contro	TOUROUS/EAS	(date)	Initial
Reference	standard operating procedures (SSOPs). . (- WALK N A-RE . ALK N 	perational controls, faciliti These items are to be COLLE FUNDATE TO THE STATE OF	ies or structures, equipment design, gene corrected by the next regular inspection of the corrected by the corre	TOUROUS/EAS	(date)	Initial
Reference	standard operating procedures (SSOPS). I. (I - WALK IN C A-RE NACK IN SUPERACES	perational controls, faciliti These items are to be COLLE FUNDATE TO THE STATE OF	ies or structures, equipment design, gene corrected by the next regular inspection of the corrected by the corre	TOUROUS/EAS	(date)	Initial
Reference	standard operating procedures (SSOPS). I. (I - WALK IN C A-RE NACK IN SUPERACES	perational controls, faciliti These items are to be COLLE FUNDATE TO THE STATE OF	ies or structures, equipment design, gene corrected by the next regular inspection of the corrected by the corre	TOUROUS/EAS	(date)	Initial
Reference	standard operating procedures (SSOPs). I. (I - WALK IN CARE) APPEARED APPEARED TO SUPERACES	perational controls, faciliti These items are to be COLLE FUNDATE TO THE STATE OF	ies or structures, equipment design, gene corrected by the next regular inspection of the corrected by the correcte	Date: / Ja	(date)	Initial Initia Initial Initial Initial Initial Initial Initial Initial Initial

MO 580-1814 (9-13)