

## MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES BUREAU OF ENVIRONMENTAL HEALTH SERVICES FOOD ESTABLISHMENT INSPECTION REPORT

TIME IN 30 Am	TIME OUT 7 P
PAGE / of 6	2

NEXT ROUTIN	IE INSPE	CTION, OR SUCH SHORTER PE FOR CORRECTIONS SPECIFIED	ERIOD OF THE	ME AS M NOTICE N	IAY BE S	PECI	FIED I	N WRI	ITING BY T	HE RE		TED BY	THE Y
ESTABLISH			OWNE	FK	1881	1 1	11.				PERSON IN CHARGE:		
ADDRESS:				- I	in the	~11	1-1				COUNTY: 5 CD	_	
	700	BUSINESS 6	DUONE				EAN				STODDARD		
CITY/ZIP:  DEX  ESTABLISHME	NT TYPE	R 63841	PHONE	1-8	33		FAX:				P.H. PRIORITY: H   N	Л 🗆 L	
BAKER' RESTAL PURPOSE	Υ	☐ C. STORE ☐ CATERI ☐ SCHOOL ☐ SENIOR		DE TEN	LI MP. FOO	D		GROCI AVERI	ERY STOR N		☐ INSTITUTION ☐ MOBILE VENDORS		
☐ Pre-ope	ning	Routine  Follow-up	☐ Comp	laint [	Othe	r							
FROZEN DE Approved [License No	Disapp	roved Not Applicable	SEWAGE PUBL PRIV	IC	SAL	- 4			JPPLY UNITY		NON-COMMUNITY PRIVAT Date Sampled Results		
				SK FAC									
Risk factors	are food pess outbr	preparation practices and employer eaks. Public health intervention	ee behaviors	most con measure	nmonly res	eporte	ed to th	ne Cen	ters for Dis	ease Co	ontrol and Prevention as contributing factor	rs in	
Compliance		Demonstration of K		Moderate	cos	R		nplianc			Potentially Hazardous Foods	COS	S R
OUT OUT		Person in charge present, demo and performs duties		wledge,					N/O N/A		r cooking, time and temperature		
IN OUT		Employee He Management awareness; policy							N/O N/A N/O N/A		r reheating procedures for hot holding r cooling time and temperatures		
INOUT		Proper use of reporting, restrict		sion					N/O N/A		r hot holding temperatures		
OUT N/O		Good Hygienic P Proper eating, tasting, drinking						OUT	N/A N/O N/A		r cold holding temperatures r date marking and disposition		
IN OUT N/O		No discharge from eyes, nose a		SE		+			N/O N/A	Time :	as a public health control (procedures /		
		Preventing Contaminat	ion by Hands			+				record	Consumer Advisory		
IN OUT N/O	)	Hands clean and properly wash					IN	OUT	(N/A)	Consu	umer advisory provided for raw or cooked food		
IN OUT N/O	)	No bare hand contact with read								under	Highly Susceptible Populations		
IN OUT		approved alternate method prop Adequate handwashing facilities				+	INI	OUT I	N/O N/A	Paete	urized foods used, prohibited foods not		
		accessible								offere	d		
UNCOUT		Approved Sou Food obtained from approved s					(IN)	OUT	N/A	Food	Chemical additives: approved and properly used		
IN OUT N/O	N/A	Food received at proper temper					IN			Toxic	substances properly identified, stored and		
OUT		Food in good condition, safe an	d unadulterat	ted						used	onformance with Approved Procedures		
IN OUT N/O	(N/A)	Required records available: she destruction		parasite			IN	OUT	N/A)	Comp	liance with approved Specialized Process ACCP plan		
IN OUT	N/A	Protection from Con Food separated and protected	tamination							f each it	em indicates that item's status at the time	of the	
IN OUT	N/A	Food-contact surfaces cleaned	& sanitized			+		ection. IN = in	n complianc	e	OUT = not in compliance		
IN OUT N/C		Proper disposition of returned, p		ved.			N/A = not applicable N/O = not observed						
	The second second	reconditioned, and unsafe food							orrected Of	1 Site	R = Repeat Item		
		Good Retail Practices are prever	tative measu		ntrol the				hogens ch	omicals	and physical phicets into foods		
IN OUT		Safe Food and Wate		10 00		R	IN	OUT	riogens, cri	erriicais	Proper Use of Utensils	cos	R
		urized eggs used where required and ice from approved source					4				properly stored nent and linens: properly stored, dried,		
1	water	and ice from approved source					1		handled	, equipit	terit and lineris, properly stored, dried,		
1/	Adequ	Food Temperature Con uate equipment for temperature co					V		Single-u Gloves u		e-service articles: properly stored, used		
		ved thawing methods used	JIII OI				-			Uten	sils, Equipment and Vending		
K	Therm	nometers provided and accurate					V				od-contact surfaces cleanable, properly ructed, and used		
		Food Identification					/	1		shing fa	icilities: installed, maintained, used; test		
K	Food	properly labeled; original containe						X			t surfaces clean	-	
	Incoct	Prevention of Food Contam s, rodents, and animals not prese					1		Hot and	oold wa	Physical Facilities		
A	Conta	mination prevented during food pr		orage			1	Y			tter available; adequate pressure ed; proper backflow devices		
1/		nal cleanliness: clean outer clothi	ng, hair restra	aint,			/		Sewage	and wa	stewater properly disposed		
1		nails and jewelry g cloths: properly used and stored					V		Toilet fa	cilities:	properly constructed, supplied, cleaned		
r		and vegetables washed before us					1	400	Garbage	e/refuse	properly disposed; facilities maintained		
Person in Ch	harge /T	itle:						1	Physical	facilitie	s installed, maintained, and clean  Date:		
K	Qui	e Dall		-							1-12-19		
Inspector: Willit	tun d	L BRANDEL		Teleph 54	none No	93	5		EPHS No	2.	Follow-up Date: 7-16-19		lo



## MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES BUREAU OF ENVIRONMENTAL HEALTH SERVICES FOOD ESTABLISHMENT INSPECTION REPORT

TIME IN	TIME OUT 7 RM
PAGE 2 of	2

ESTABLISHMENT NAME	ADDRESS	CITY		ZIP	11
MORINAS			EXTER	6384	
FOOD PRODUCT/LOCATION	TEMP.	FOOD PRODUCT/ LOC	ATION	TEMF	٥.
FIZZA FREP TABLE	395				-
SALAD PREPTABLE	390				
DINNER PREPTABLE	360				
WALKINCOOLER	360				
	200	ODITY ITEMS			
or injury. These items MUST RECEIVE I	nination, prevention or r MMEDIATE ACTION w			Correct by (date)	Initial
4-601.11A - ICK MAC	CHINE HA	5 MOLD ON ICE E	AFEEL	7-16	RN
- CLEAN W	J BCKACH	SOLUTION MONTH	LY		
11 1 21 11 11 11 11 11 11 11 11 11	St 1 D a s			"" 11	0.1
4-601, 11A- LG CANO		ON DISASEMBLY &		7-16	RN
		(IT IS USED	CCERNING		
CCA	verion	11150)23			
3-20111 - LASAGNA 1	NWALKIN	J COOLER NOT LA	BELENAZ	7-16	RN
DATEL	>			1110	1-0-
- ALL FOOD	DIN WAL	KIN (PLAPYTS EXT OT	PHD MUST	_	
BED	ATENA	ND LABELED			
20	1				
			-		
(COPE ITEM)					
	ETER IN P	RESTABLE ATENDOF	3 VATSINK		
- FETCHE T	THERMAN	ETER			
Code		DRE ITEMS		Correct by	Initial
Reference Core items relate to general sanitation, op-	perational controls, facili	ORE ITEMS ties or structures, equipment design, general me corrected by the next regular inspection or		Correct by (date)	Initial
Reference Core items relate to general sanitation, opstandard operating procedures (SSOPs).  6-20(, ((A - ALC & FT))	rational controls, facility These items are to be	ties or structures, equipment design, general me corrected by the next regular inspection or Bulb S NOT SH	as stated.	(date)	Initial
Reference Core items relate to general sanitation, opstandard operating procedures (SSOPs).  6-20(, ((A - ALC & FT))	perational controls, facili These items are to be	ties or structures, equipment design, general me corrected by the next regular inspection or Bulb S NOT SH	as stated.	(date)	
Reference Core items relate to general sanitation, opstandard operating procedures (SSOPs).  6-20( . ((A - A L( 8 FT + C+L A)))	recording to the service of the serv	ties or structures, equipment design, general me corrected by the next regular inspection or BULBS NOTSH	as stated.	(date)	RW
Reference Core items relate to general sanitation, opstandard operating procedures (SSOPs).  6-20(, ((A - AU 8FV + TZHEA))  - MuSV +	PLOT LIGHT  AVE SHILL	ties or structures, equipment design, general me corrected by the next regular inspection or BulbS NOTSHOAREA	as stated. LOLD IN INSTALLE	(date)	
Reference Core items relate to general sanitation, opstandard operating procedures (SSOPs).  6-20(, ((A - AU 8FV + TZHEA))  - MuSV +	PLOT LIGHT  AVE SHILL	ties or structures, equipment design, general me corrected by the next regular inspection or BULBS NOTSH	as stated. LOLD IN INSTALLE	(date)	RW
Reference Core items relate to general sanitation, opstandard operating procedures (SSOPs).  6-20(, ((A - AUCSET)  - MuST H  / M M E	PLATELY  AVE SHILL  PLATELY	ties or structures, equipment design, general me corrected by the next regular inspection or TENLES NOTS(HEADEL)  A PLA  ELD TUBE & CAPS  TO PROTECT FEO	as stated. LOLD IN INSTALLE	(date) 7-25 ) 7-25	RN
Reference Core items relate to general sanitation, opstandard operating procedures (SSOPs).  6-20(, ((A - AU 8FV - AU 8F	PLOT LIGHT  AVE SHILL  POOD CO.	ties or structures, equipment design, general me corrected by the next regular inspection or TBULBS NOTSHOOTS APLA  ELD TUBE & CAPS  TO PROTECT FOO	as stated.  LOFDIN  INSTAULI	(date)	RW
Reference Core items relate to general sanitation, opstandard operating procedures (SSOPs).  6-20(, ((A - AUCSET FITCHEN))  - MUST H  / MM E  H-(00), ((C DIETY Non-SHICL))	PLOR LIGHT  AVE SHIP  DIATELY  FOOD COLUMN  OF TOO	ties or structures, equipment design, general me corrected by the next regular inspection or RUBS NOTSHOWN AREA  ELD TUBE & CAPS  TO PROTECT FROM  UTACT SULFACES!  FREET TABLE NEXT TO	INSTACLES  D  LG MIXER	(date) 7-25 ) 7-25	RN
Reference Core items relate to general sanitation, opstandard operating procedures (SSOPs).  6-20(, ((A - AUCSET)	Propertional controls, facility These items are to be FLOR LIGHT AVE SHILL PATELY  FOOD CON  ON VEG  R W CANA	ties or structures, equipment design, general me corrected by the next regular inspection or RULBS NOTSHOWN APLA  ELD TUBE & CAPS  TO PROTECT FEO  WTACT SULFACKS:  PREF TABLE NEXT TO  WED GOODS & ACK, 50D	as stated.  LOFDIN  INSTACLED  D  LG MIXER  A MACHINE	(date) 7-25 ) 7-25	RN
Reference Core items relate to general sanitation, opstandard operating procedures (SSOPs).  6-20(, ((A - AUCSEV)  - MUST H  /MME  4-60(, ((C DIRTY Non-  - SHILL)  REFEAT - FLOO  - DOOR	Propertional controls, facility These items are to be FLOK LIGHT  AVE SHILL  PIATELY  FOOD CO.  FOOD CO.  SILLS OF	ties or structures, equipment design, general me corrected by the next regular inspection or TBULBS NOTSHOWN APLA  ELD TUBE & CAPS  TO PROTECT FOO  WHAT GULFACKS.  PREF TABLE NEXT TO  WALL IN COOLERS	as stated.  LOFDIN  INSTACLED  D  LG MIXER  A MACHINE	(date) 7-25 ) 7-25	RN
Reference Core items relate to general sanitation, opstandard operating procedures (SSOPs).  6-20(, ((A - AUCSEV)  - MUST H  /MME  4-60(, ((C DIRTY Non-  - SHILL)  REFEAT - FLOO  - DOOR	Propertional controls, facility These items are to be FLOK LIGHT  AVE SHILL  PIATELY  FOOD CO.  FOOD CO.  SILLS OF	ties or structures, equipment design, general me corrected by the next regular inspection or RULBS NOTSHOWN APLA  ELD TUBE & CAPS  TO PROTECT FEO  WTACT SULFACKS:  PREF TABLE NEXT TO  WED GOODS & ACK, 50D	as stated.  LOFDIN  INSTACLED  D  LG MIXER  A MACHINE	(date) 7-25 ) 7-25	RN
Reference Core items relate to general sanitation, opstandard operating procedures (SSOPS).  6-20(, ((A - AU(8F)	Propertional controls, facility These items are to be FLOR LIGHT AVE SHIP DIATELY  FOOD CON DIATELY  NEG RWCAN SILLS OF OF BRKA	ties or structures, equipment design, general me corrected by the next regular inspection or RUBS NOT SHOW AREA  ELD TUBE & CAPS  TO FROTECT FROM  UTACT SULFACKS:  FREFTABLE NEXT TO  UKD GOODS RACK, SOD  WALKIN COOLERS  D WARMER	as stated.  LOLD IN  INSTACLED  D  LG MIXER  A MACHINE  DIRTY	(date) 7-25 7-25	RN
Reference Core items relate to general sanitation, opstandard operating procedures (SSOPS).  6-20( ILA - ALL 8FT FITCHEN)  - MUST H  IMM E  H-(00), IIC DIRTY NON SHILLS  REFEAT - FLOOR - FLOOR	Propertional controls, facility These items are to be FLOK LIGHT  AVE SHIP  AVE SHIP  PROD CO.  FOOD CO.  FOOD CO.  FOOD CAND  SILLS OF  BRKAN  EST FREE	ties or structures, equipment design, general me corrected by the next regular inspection or BULBS NOTSHOWN AREA  ELD TUBE & CAPS  TO PROTECT FOO  WHAT SULFACKS.  PREFTABLE NEXT TO WED GOODS BACK, SOD  WALK IN COOLERS  D WARMER  ELR DOORS BROLLERS	as stated.  LOLD IN  INSTACLED  D  LG MIXER  A MACHINE  DIRTY	(date) 7-25 7-25	RN
Reference Core items relate to general sanitation, opstandard operating procedures (SSOPS).  6-20( ILA - ALL 8FT FITCHEN)  - MUST H  IMM E  H-(00), IIC DIRTY NON SHILLS  REFEAT - FLOOR - FLOOR	Propertional controls, facility These items are to be FLOK LIGHT  AVE SHIP  AVE SHIP  PROD CO.  FOOD CO.  FOOD CO.  FOOD CAND  SILLS OF  BRKAN  EST FREE	ties or structures, equipment design, general me corrected by the next regular inspection or RUBS NOT SHOW AREA  ELD TUBE & CAPS  TO FROTECT FROM  UTACT SULFACKS:  FREFTABLE NEXT TO  UKD GOODS RACK, SOD  WALKIN COOLERS  D WARMER	as stated.  LOLD IN  INSTACLED  D  LG MIXER  A MACHINE  DIRTY	(date) 7-25 7-25	RN
Reference Core items relate to general sanitation, opstandard operating procedures (SSOPS).  6-20(, ((A - AU(8F)	Propertional controls, facility These items are to be FLOR LIGHT  AVE SHIP  PIATELY  FOOD CON  ON VEG  RWCANI  SILLS OF  BRKAN  EST FREE  FAIR OT	ties or structures, equipment design, general me corrected by the next regular inspection or REUBS NOT SHOW AREA  ELD TUBE & CAPS  TO FROTECT FROM  WHAT SULFACKS!  PREPTABLE HEXT TO  WALLIN COOLERS  D WARMER  ELR DOORS BROKEN  PEPCACE	as stated.  LOLD IN  INSTACLED  D  LG MIXER  A MACHINE  DIRTY	(date) 7-25 7-25 7-25	RN
Reference Core items relate to general sanitation, opstandard operating procedures (SSOPS).  6-20(, 11A - AUBFT FITCHEN)  - MUST H  /MME  H-60(, 11C DIRTY NON SHILLY  REFEAT - FLOOR - FLOOR - FLOOR  6-50(, 11 REFEAT - CH  - REFERENCE - REFEREN	Propertional controls, facility These items are to be FLOR LIGHT  AVE SHIP  AVE SHIP  POOD CO.  FOOD CO.	ties or structures, equipment design, general me corrected by the next regular inspection or BULBS NOTSHOWN AREA  ELD TUBE & CAPS  TO FROTECT FOO  WHAT GULFACKS.  PREFTABLE NEXT TO  WALK IN COOLERS  D WARMER  PEPLACE  CM. 55 ING COUNG-	A MACHINE  DIRTY  DIRTY	(date) 7-25 7-25	RN
Reference Core items relate to general sanitation, opstandard operating procedures (SSOPS).  6-20(, 11A - AUBFT FITCHEN)  - MUST H  /MME  H-60(, 11C DIRTY NON SHILLY  REFEAT - FLOOR - FLOOR - FLOOR  6-50(, 11 REFEAT - CH  - REFERENCE - REFEREN	PEST FRELE ETALE OT  APLA STILL  APLA STIL	ties or structures, equipment design, general me corrected by the next regular inspection or REUBS NOT SHOW AREA  ELD TUBE & CAPS  TO FROTECT FROM  WHAT SULFACKS!  PREPTABLE HEXT TO  WALLIN COOLERS  D WARMER  ELR DOORS BROKEN  PEPCACE	A MACHINE  DIRTY  DIRTY	(date) 7-25 7-25 7-25	RN
Reference Core items relate to general sanitation, opstandard operating procedures (SSOPS).  6-20(, 11A - AUBFT FITCHEN)  - MUST H  /MME  H-60(, 11C DIRTY NON SHILLY  REFEAT - FLOOR - FLOOR - FLOOR  6-50(, 11 REFEAT - CH  - REFERENCE - REFEREN	PEST FRELE ETALE OT  APLA STILL  APLA STIL	ties or structures, equipment design, general me corrected by the next regular inspection or TEMLES NOTSHOWN APEA  ELD TUBE & CAPS  TO PROTECT FROM  WALT GULFACKS.  PREP TABLE HEXT TO  WALL IN COOLERS  DINARMER  ELR DOORS BROKEN  PEPLACE  LM. 55, NG CONING-  INSTALLED FROPLE	A MACHINE  DIRTY  DIRTY	(date) 7-25 7-25 7-25	RN
Reference Core items relate to general sanitation, opstandard operating procedures (SSOPS).  6-20(, 11A - AUBFT FITCHEN)  - MUST H  /MME  H-60(, 11C DIRTY NON SHILLY  REFEAT - FLOOR - FLOOR - FLOOR  6-50(, 11 REFEAT - CH  - REFERENCE - REFEREN	PEST FRELE ETALE OT  APLA STILL  APLA STIL	ties or structures, equipment design, general me corrected by the next regular inspection or TEMLES NOTSHOWN APEA  ELD TUBE & CAPS  TO PROTECT FROM  WALT GULFACKS.  PREP TABLE HEXT TO  WALL IN COOLERS  DINARMER  ELR DOORS BROKEN  PEPLACE  LM. 55, NG CONING-  INSTALLED FROPLE	A MACHINE  DIRTY  DIRTY	(date) 7-25 7-25 7-25	RN
Reference Core items relate to general sanitation, opstandard operating procedures (SSOPS)  6-20(, ((A - AUCBET   LICHEN)  - MUST   H  / MM E  H-(60(, II C DIRTY NON SHILLS  REFEAT - FLOOR - DOOR - FLOOR  6-30(, II REFEAT - CH  - REFEAT COVING M  Person in Charge /Title:	PEST FRELE ETALE OT  APLA STILL  APLA STIL	ties or structures, equipment design, general me corrected by the next regular inspection or TEMLES NOTSHOWN APEA  ELD TUBE & CAPS  TO PROTECT FROM  WALT GULFACKS.  PREP TABLE HEXT TO  WALL IN COOLERS  DINARMER  ELR DOORS BROKEN  PEPLACE  LM. 55, NG CONING-  INSTALLED FROPLE	A MACHINE  DIRTY  DIRTY	(date) 7-25 7-25 7-25	RN
Reference Core items relate to general sanitation, opstandard operating procedures (SSOPS)  6-20(, 11 A - AUCBET	Propertional controls, facility These items are to be FLOK LIGHT  AVE SHIP  AVE SHIP  PIATELY  FOOD CO.  F	ties or structures, equipment design, general me corrected by the next regular inspection or TEMLES NOTSHOWN APEA  ELD TUBE & CAPS  TO PROTECT FROM  WALT GULFACKS.  PREP TABLE HEXT TO  WALL IN COOLERS  DINARMER  ELR DOORS BROKEN  PEPLACE  LM. 55, NG CONING-  INSTALLED FROPLE	as stated.  LOFDIN  INSTALLED  DLG MIXER  A MACHINE  DIRTY  NOTCLOSIN	(date) 7-25 7-25 7-25 7-25	RN RN RN