

MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES BUREAU OF ENVIRONMENTAL HEALTH SERVICES FOOD ESTABLISHMENT INSPECTION REPORT

TIME IN STR	TIME OUT
PAGE / of	2

WITH A	ANY TIM	E LIMIT	CTION THIS DAY, THE ITEMS NO CCTION, OR SUCH SHORTER PE S FOR CORRECTIONS SPECIFIE NAME:	RIOD OF TIME AS	MAYBI	- SPEC	IFIED	INI M/P	ITING BY	THE DEC	FACILITIES WHICH MUST BE CORREGULATORY AUTHORITY. FAILURE TO DO OPERATIONS.	CTED B COMPL	Y THE
5	RI	JAY		OWINER.	HH	A	611)			PERSON IN CHARGE:	VF I	1
ADDI	RESS:	33	525 STATE Hu	14 25		1					COUNTY:	1	
CITY	IZIP:	DUA.	XF 63730	PHONE:	415	-	FA	< :			P.H. PRIORITY: The	M 🔲	
	BLISHMEI BAKERY RESTAU	1	☐ C. STORE ☐ CATERE ☐ SCHOOL ☐ SENIOR	R D				GROC TAVER	ERY STOR		☐ INSTITUTION☐ MOBILE VENDORS		
PURPO	OSE Pre-opei	nina	Routine Follow-up	☐ Complaint	□ O1			.,,,,			A MODILE VENDONS		
FROZ □App	ZEN DE	SSER1		SEWAGE DISP PUBLIC PRIVATE	OSAL			COMM	JPPLY UNITY		NON-COMMUNITY Deriva Date Sampled Results		
				RISK FA									
Risk f	actors a	are food p	preparation practices and employed eaks. Public health intervention	e behaviors most c	ommon!	y report	ed to t	the Cen	ters for Dis	ease Co	ntrol and Prevention as contributing factor	rs in	
Compli	ance	oo oator	Demonstration of K		CO			omplianc		/.	Potentially Hazardous Foods	CO	S R
IN O	JT')		Person in charge present, demo	nstrates knowledge	DEZE	« X	IN	IN OUT N/O N/A Proper coo		Proper	cooking, time and temperature	00.	
141 01	17		Employee He	alth					N/O N/A	Proper	reheating procedures for hot holding		
IN OU			Management awareness; policy Proper use of reporting, restricti	present					N/O N/A	Proper	cooling time and temperatures		
7			Good Hygienic Pr	actices				OUT	N/A	Proper	hot holding temperatures cold holding temperatures		
-	JT N/O		Proper eating, tasting, drinking on No discharge from eyes, nose a						N/O N/A	Proper	date marking and disposition		
	31 14/0						IIN	0011	N/O N/A	records	s a public health control (procedures /		
(N) OL	JT N/O		Preventing Contaminati Hands clean and properly wash		1		IN	OUT	(N/A)	Consur	Consumer Advisory mer advisory provided for raw or		
(IN)OL	JT N/O		No bare hand contact with ready	r-to-eat foods or							ooked food		
			approved alternate method prop	erly followed	(X						Highly Susceptible Populations		
(IN) OF)1		Adequate handwashing facilities accessible		1		IN	OUT I	N/Q N/A	Pasteu offered	rized foods used, prohibited foods not		
IN OL	JT		Food obtained from approved so				IN	OUT	N/A	Food a	Chemical dditives: approved and properly used		
	JT N/O	N/A	Food received at proper tempera				The same of the same of	OUT	IN/A	Toxic s	ubstances properly identified, stored and		
IN OL			Food in good condition, safe and	unadulterated						used	nformance with Approved Procedures		
IN OU	JT N/O	N/A	Required records available: shell destruction	lstock tags, parasite			IN	OUT	N/A	Complia	ance with approved Specialized Process		
IN OL	JT	N/A	Protection from Control Food separated and protected	amination			The	letter t	o the left of	each ite	m indicates that item's status at the time	of the	
IN OL	The same of the sa	N/A	Food-contact surfaces cleaned &	sanitized		1	insp	ection.	complianc				
Spilling	IT (N/O	000000	Proper disposition of returned, p			3		I/A = nc	t applicable	е	OUT = not in compliance N/O = not observed		
			reconditioned, and unsafe food	eviously served,			CC	OS = Co	orrected Or	Site	R = Repeat Item		
			Cood Patail Practices are assessed	G	OOD RI	ETAIL F	PRACT	TICES					
IN /	OUT		Good Retail Practices are prevent Safe Food and Water	ative measures to c	COS	R	IN	of path	nogens, che		and physical objects into foods. Proper Use of Utensils	COS	R
1			rized eggs used where required				4			ensils: pi	roperly stored	003	K
V		vvater	and ice from approved source				-		Utensils, handled	equipme	ent and linens: properly stored, dried,		
W		Adequi	Food Temperature Contrate equipment for temperature con				*		Single-u		-service articles: properly stored, used		
Sand			red thawing methods used	itroi			-		Gloves	sed prop	erly ils, Equipment and Vending		
	X		ometers provided and accurate	1	(X),	-	Food and	d nonfood	d-contact surfaces cleanable, properly		
			Food Identification				5		Warewas	shing faci	icted, and used ilities: installed, maintained, used; test		
V		Food p	roperly labeled; original container	1-			- Baratan		Strips use Nonfood		surfaces clean		
1/		Incocto	Prevention of Food Contamin		-					-	Physical Facilities		
	~	Contan	, rodents, and animals not present nination prevented during food pre	paration, storage			1		Plumbing	cold wate installed	er available; adequate pressure d; proper backflow devices		
	1	and dis	play SONA NOTZEC al cleanliness: clean outer clothing	5-1		A	8						
1		fingern	ails and jewelry	g, nan restraint,			V				tewater properly disposed		
4			cloths: properly used and stored and vegetables washed before use)			1		Toilet fac	refuse p	operly constructed, supplied, cleaned roperly disposed; facilities maintained		
Do	in O						V		Physical	facilities	installed, maintained, and clean		
Person	tole	arge /Tit	and the state of t							1	Date: 5-15-70		
Inspec	tor:	<u> </u>	A. BEANDEL	Telep	hone N	lo.	7 7		EPHS No	. F	ollow-up: Yes	□ N	0
MO 580-18	314 (11-14)	1 Com	TIORKNOEL	DISTRIBUTION: WHITE	- OWNER	S COPY	0	1	580	FOODY	ollow-up Date: 05-15-202	20	4



MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES BUREAU OF ENVIRONMENTAL HEALTH SERVICES FOOD ESTABLISHMENT INSPECTION REPORT

TIME IN 5Pm	JIME SUJAP
PAGE 2 of	2

		1000000	William July A) Mini		-	
ESTABLISHMEN		ADDRESS		CITY	ZIP	20
2000	JAY - ADVANCE		57 HWY 25	ADVANKET	637	-
FO	OD PRODUCT/LOCATION	TEMP.	FOOD PRODUCT	LOCATION	TEMF	0.
SERVI	NG LINE	36				
REF	RIGERATOR UNDERDULA	3 NOTE	HRUSHETER			
(N) M	IN COOCKE	370				
000,00		01				
Code		PRIO	RITY ITEMS		0 11	1 20 1
Reference	Priority items contribute directly to the elin			associated with foodborne illness	Correct by (date)	Initial
	or injury. These items MUST RECEIVE II					
,					05-15	
4-60	1. LA JOODA	-DUNTEIN	HEADS DIRT	Y, GOOD/ MOCE	3	
	NOTC	(KANED				
				/ +	1	
	100 - EMTLO	YEE NOT	AWARE OF HO	w 87 WHEN 10	CLEAN	ERMA
	14/				独展高	
	1					
						Sala Erri
2-10	2.11 ENTINGER	- IN CHA)	HOK NOT AWA	REOF	05-15	A STATE
V	SALA FA	A L. C.	ROK NOT AWA	WE XTERED	M. VY	
	30 211 90	UNIN N	JULEEL CLEAN	NO OCTREQU	ATAC (
	1774	NSTAF				
	7 (1-11)	01011				
	9.	-11 1/6-15	COUNTY PE	0.(1.15)		
			of SHOULD BE			
	ATL	KAST (T	TIME FER WE	EL OR AS		
	NEE	VEY				a mining
		10 +				
Code		COL	DE ITEMS		Compathu	tuitial
Code Reference	Core items relate to general sanitation, op		RE ITEMS es or structures, equipment design, gen	eral maintenance or sanitation	Correct by (date)	Initial
	Core items relate to general sanitation, op standard operating procedures (SSOPs).	erational controls, facilitie	es or structures, equipment design, gene			Initial
		erational controls, facilitie	es or structures, equipment design, gene			Initial
	standard operating procedures (SSOPs).	erational controls, facilitie These items are to be o	es or structures, equipment design, gen- corrected by the next regular inspecti	on or as stated.		Initial
	standard operating procedures (SSOPs).	erational controls, facilitie These items are to be o	es or structures, equipment design, gene	on or as stated.		Initial
	standard operating procedures (SSOPs). 4. (12 - REFR)	erational controls, facilitie These items are to be o	es or structures, equipment design, gen- corrected by the next regular inspecti	on or as stated.	(date)	Initial
	standard operating procedures (SSOPs).	erational controls, facilitie These items are to be o	es or structures, equipment design, gen- corrected by the next regular inspecti	on or as stated.	(date)	Initial
	standard operating procedures (SSOPs). 4. (12 - REFR, NOV	erational controls, facilitie These items are to be of	es or structures, equipment design, gen- corrected by the next regular inspecti	on or as stated.	(date)	Initial
	standard operating procedures (SSOPs). 4. (12 - REFR)	erational controls, facilitie These items are to be of ELECTOR HAULA	es or structures, equipment design, gen- corrected by the next regular inspection UNDER OVEN THERMOMENT A THERMOM	on or as stated.	(date)	Initial
	standard operating procedures (SSOPs). 4. (12 - REFR, NOV	erational controls, facilitie These items are to be of	es or structures, equipment design, gen- corrected by the next regular inspection UNDER OVER THERMOMET A THERMOM	on or as stated.	(date)	Initial
	standard operating procedures (SSOPs). 4. (12 - REFR, NOV	erational controls, facilitie These items are to be of ELECTOR HAULA	es or structures, equipment design, gen- corrected by the next regular inspection UNDER OVEN THERMOMENT A THERMOM	on or as stated.	(date)	Initial
	standard operating procedures (SSOPs). 4. (12 - REFR, NOV	erational controls, facilitie These items are to be of ELECTOR HAULA	es or structures, equipment design, gen- corrected by the next regular inspection UNDER OVEN THERMOMENT A THERMOM	on or as stated.	(date)	Initial
	standard operating procedures (SSOPs). 4. (12 - REFR, NOV	erational controls, facilitie These items are to be of ELECTOR HAULA	es or structures, equipment design, gen- corrected by the next regular inspection UNDER OVEN THERMOMENT A THERMOM	on or as stated.	(date)	Initial
	standard operating procedures (SSOPs). 4. (12 - REFR, NOV	erational controls, facilitie These items are to be of ELECTOR HAULA	es or structures, equipment design, gen- corrected by the next regular inspection UNDER OVEN THERMOMENT A THERMOM	on or as stated.	(date)	Initial
	standard operating procedures (SSOPs). 4. (12 - REFR, NOV	erational controls, facilitie These items are to be of ELECTOR HAULA	es or structures, equipment design, gen- corrected by the next regular inspection UNDER OVEN THERMOMENT A THERMOM	on or as stated.	(date)	Initial
	standard operating procedures (SSOPs). 4. (12 - REFR, NOV	erational controls, facilitie These items are to be of ELECTOR HAULA	es or structures, equipment design, gen- corrected by the next regular inspection UNDER OVEN THERMOMENT A THERMOM	on or as stated.	(date)	Initial
	standard operating procedures (SSOPs). 4. (12 - REFR, NOV	erational controls, facilitie These items are to be of ELECTOR HAULA	es or structures, equipment design, gen- corrected by the next regular inspection UNDER OVEN THERMOMENT A THERMOM	on or as stated.	(date)	Initial
	standard operating procedures (SSOPs). 4. (12 - REFR, NOV	erational controls, facilitie These items are to be of ELECTOR HAULA	es or structures, equipment design, gen- corrected by the next regular inspection UNDER OVEN THERMOMENT A THERMOM	on or as stated.	(date)	Initial
	standard operating procedures (SSOPs). 4. (12 - REFR, NOV	erational controls, facilitie These items are to be of ELECTOR HAULA	es or structures, equipment design, gen- corrected by the next regular inspection UNDER OVEN THERMOMENT A THERMOM	on or as stated.	(date)	Initial
	standard operating procedures (SSOPs). 4. (12 - REFR, NOV	erational controls, facilitie These items are to be of ELECTOR HAULA	es or structures, equipment design, gen- corrected by the next regular inspection UNDER OVEN THERMOMENT A THERMOM	on or as stated.	(date)	Initial
	standard operating procedures (SSOPs). 4. (12 - REFR, NOV	erational controls, facilitie These items are to be a 6 Electrole THAULA THAULA THAULA	es or structures, equipment design, gen- corrected by the next regular inspection UNDER OVED THERMOMENT A THERMOM ATTOR UNITS	on or as stated.	(date)	Initial
	standard operating procedures (SSOPs). 4. (12 - REFR, NOV	erational controls, facilitie These items are to be a 6 Electrole THAULA THAULA THAULA	es or structures, equipment design, gen- corrected by the next regular inspection UNDER OVEN THERMOMENT A THERMOM	on or as stated.	(date)	Initial
	standard operating procedures (SSOPs). 4. (12 - REFR, NOV	erational controls, facilitie These items are to be a 6 Electrole THAULA THAULA THAULA	es or structures, equipment design, gen- corrected by the next regular inspection UNDER OVED THERMOMENT A THERMOM ATTOR UNITS	on or as stated.	(date)	Initial
	standard operating procedures (SSOPs). 4. (12 - REFR, NOV	erational controls, facilitie These items are to be a 6 Electrole THAULA THAULA THAULA	es or structures, equipment design, gen- corrected by the next regular inspection UNDER OVED THERMOMENT A THERMOM ATTOR UNITS	on or as stated.	(date)	Initial
H-20	standard operating procedures (SSOPs). H. (12) REFRI NOV	erational controls, facilitie These items are to be a 6 Electrole THAULA THAULA THAULA	es or structures, equipment design, gen- corrected by the next regular inspection UNDER OVED THERMOMENT A THERMOM ATTOR UNITS	Date:	(date) *** *** *** *** *** *** *** *** ** **	Initial
Person in Ch	H. (12 FEF)	erational controls, facilitie These items are to be a 6 Electrole THAULA THAULE FR. 6 EX	ROVIDED OR COMMENTS	Date: 5-15	(date)	
Reference 4-2c	standard operating procedures (SSOPs). H. (12) REFRI NOV	erational controls, facilitie These items are to be a 6 Electrole THAULA THAULA THAULA	ROVIDED OR COMMENTS	Date: 5-15	(date) 35-15 Yes	No